

Vital Statistics Summary 1981

Department of Human Services/Government of the District of Columbia
Marion Barry, Jr. Mayor

Vital Statistics Summary

1981

A Report of the Department of Human Services

David E. Rivers
Director

The Department of Human Services does not discriminate on the basis of race, color, religion, national origin, sex, age, marital status, personal appearance, sexual orientation, family responsibilities, physical handicap, matriculation or political affiliation.

Office of Policy and Planning
Joan Jones, Acting Chief

SYMBOLS USED IN TABLES

Data not Available.....	---
Not Applicable.....	...
Rate not Computed Because of Small Frequency.....	..
Quantity Zero in Frequency Tables.....	—
Denominator Zero in Rate or Percent Tables.....	—
Numerator Zero in Rate or Percent Tables.....	0

CONTENTS

INTRODUCTION

	Page
Source of data.....	7
Registration completeness.....	7
Calculation of rates.....	8
Availability of additional data.....	8
Definitions.....	8

VITAL STATISTICS HIGHLIGHTS

TEXT TABLES

Table

A.--Live births and birth rates by race and sex: District of Columbia residents 1970-1981.....	14
B.--Deaths and death rates by race: District of Columbia residents, 1970-1981.....	15
C.--Infant and neonatal deaths and death rates by race: District of Columbia residents, 1970-1981.....	16
D.--Three year moving average of infant mortality rate by age at death: District of Columbia residents, 1961-1963 to 1979-1981.....	17
E.--Fetal deaths and death rates by race: District of Columbia residents, 1970-1981.....	18
F.--Perinatal deaths and death rates by race: District of Columbia residents, 1970-1981.....	19
G.--Out-of-wedlock births by race: District of Columbia residents, 1970-1981.....	20
H.--Incidence of low birth weight by race: District of Columbia residents, 1970-1981.....	21
I.--Number and percent distribution of live births by birth weight and wedlock status: District of Columbia residents, 1981.....	22

J.--Births to adolescent mothers by race: District of Columbia residents, 1970-1981	23
K.--Maternal mortality: District of Columbia residents, 1970-1981.....	24
L.--Recorded events and resident events in other states: District of Columbia, 1981.....	25

FIGURES

Figure	Page
1.--Wards and census tracts.....	26

TABLES

Table	
1.--Estimated population by age, race, and sex: District of Columbia, 1981.....	28
2.--Number of total resident live births and deaths, number and rates of infant, neonatal and fetal deaths: District of Columbia, 1975-1981 and averages, 1945-1979.....	29
3.--Number of black resident live births and deaths, number and rates of infant, neonatal and fetal deaths: District of Columbia, 1975-1981 and averages, 1945-1979.....	30
4.--Number of white resident live births and deaths, number and rates of infant, neonatal and fetal deaths: District of Columbia, 1975-1981 and averages, 1945-1979.....	31
5.--Out-of-wedlock ratios by age of mother and race: District of Columbia, 1975-1981.....	32
6.--Number and percent distribution of resident live births by live-birth order and race: District of Columbia, 1978-1981 and averages 1965-1979.....	33
7.--Live births by live-birth order, age of mother, and plurality, all races: District of Columbia, 1981.....	34

8.--Live births by live-birth order, age of mother, black residents: District of Columbia, 1981.....	37
9.--Live births by live-birth order, age of mother, white residents: District of Columbia, 1981.....	38
10.--Live births by ward and age of mother, all residents: District of Columbia, 1981.....	39
11.--Live births by ward and age of mother, black residents: District of Columbia, 1981.....	40
12.--Live births by ward and age of mother, white residents: District of Columbia, 1981.....	41
13.--Number and percent distribution of resident live births and births with selected characteristics (out-of-wedlock, premature, immature, and with inadequate prenatal care) by race and ward: District of Columbia, 1981.....	42
14.--Resident deaths from 20 leading causes by race and sex: District of Columbia, 1981.....	45
15.--Resident crude death rates for 20 leading causes, by race and sex: District of Columbia, 1981.....	46
16.--Principal causes of death of residents by age group and sex with rates: District of Columbia, 1981.....	47
17.--Number of resident deaths and crude and age-adjusted rates by age, race and sex: District of Columbia, 1981.....	50
18.--Deaths from 72 selected causes by age, race and sex: District of Columbia, 1981	
19.--Deaths from 20 leading causes of death by ward: District of Columbia residents, 1981.....	51
20.--Infant deaths and death rates by age and race, and fetal deaths by race: District of Columbia, 1975-1981 and averages, 1950-1979.....	79

21.--Resident infant deaths and death rates by age: District of Columbia, 1960-1981.....	80
22.--Infant deaths rates by ward and age: District of Columbia, 1980-1981:.....	81
23.--Infant deaths by cause and age: District of Columbia, 1981:	
24.--Three year moving average of infant mortality rate by age at death: District of Columbia, 1961-1963 to 1979-1981.....	82
25.--Live births, out-of-wedlock births, infant deaths, fetal deaths, and total deaths by place of occurrence and residence: District of Columbia, 1981.....	86
26.--Recorded number of live births and deaths; number and rates of infant, neonatal and fetal deaths by race: District of Columbia, 1975-1981 and averages 1940-1979.....	87
27.--Resident live births, out-of-wedlock births, births with no prenatal care, immature births, total deaths and infant deaths by census tract: District of Columbia, 1981.....	90
28.--Recorded deaths from accidental causes by age and type of accident: District of Columbia, 1981.....	97

VITAL STATISTICS SUMMARY

1981

INTRODUCTION

This is a report on vital events (live births, deaths and fetal deaths) for the District of Columbia in calendar year 1981. Although data are included on events occurring within the District to non residents, primary emphasis is on events occurring to District of Columbia residents. The report was prepared by Warren W. Morse with the assistance of Mary E. Byrnes, under the direction of Grover H. Chamberlain, Chief, Research and Statistics Division, Office of Policy and Planning, Department of Human Services. Tables and Text were verified by Ms. Josie Dyson and Ms. Claudia Higgins.

SOURCE OF DATA. Vital statistics are derived entirely from live birth, death and fetal death certificates. All live births and deaths occurring within the District of Columbia are registered with the Vital Records Branch, Research and Statistics Division, Department of Human Services, as are known fetal deaths of 20 weeks or more gestation. Vital events occurring to District residents in other States are registered in those States, and copies are sent to the Vital Records Branch through a nationwide interchange system.

Vital statistics shown for 1954-1981 have been tabulated by this Division. Statistics for events occurring prior to 1954 were obtained from the National Center for Health Statistics.

The statistics for 1981 cover all 1981 events for which certificates were filed or transcripts received from other States before May 15, 1982. The number of certificates excluded for 1981 or any other year because of late filing is considered negligible for statistical purposes.

REGISTRATION COMPLETENESS. The registration of live births and of deaths in the District of Columbia is considered to be virtually complete. The degree of registration completeness for fetal deaths is not known. D.C. law requires registration only for 20 weeks or over gestation and since the gestation period cannot always be calculated exactly some reportable fetal deaths are probably not registered. It is also possible that some of those which are registered are actually of less than 20 weeks gestation.

CALCULATION OF RATES. Death, birth and fertility rates are based on enumerated population as of April 1 for census years, and on estimated population as of July 1 for all other years. These rates are expressed per 1,000 population except for death rates by cause of death, which are per 100,000 population. Rates are per 1,000 live births for infant deaths, per 10,000 live births for maternal deaths, and per 1,000 deliveries (live births plus fetal deaths) for fetal deaths and perinatal deaths. Comparability of trend data for birth and death rates is limited by the difficulties in preparing reliable estimates of population for intercensal years.

AVAILABILITY OF ADDITIONAL DATA. More detailed information on vital events for 1981 or prior years is available on request from the Chief, Research and Statistics Division, Department of Human Services, 425 I Street, N.W., Washington, D.C. 20001.

DEFINITIONS. Terms used in this report are defined as follows:
Residence is defined as that of the deceased for a death and as that of the mother for a birth or fetal death. Deaths and births in institutions located in the District are allocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted. Most tables refer to resident events which include birth and death certificates received for residents of the city irrespective of where the event occurred. The tables referring to recorded events include births and deaths which occurred in the District of Columbia irrespective of the place of residence given on the certificates.

A live birth is defined as the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

An immature birth is one for which the birth weight is 2,500 grams or less (5 pounds, 8 ounces or less), regardless of the period of gestation.

A premature birth is one which occurred prior to 37 weeks gestation.

An out-of-wedlock birth is one which occurred to a mother who was separated from spouse or not married at the time of birth and had not been living with spouse or married any time during the preceding 10 months.

A fetal death is defined as death, prior to the complete expulsion or extraction from its mother, of a product of human conception of 20 weeks or more duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus never breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movements of voluntary muscles.

An infant death is the death of a child under one year of age.

A neonatal death is the death of a child under 28 days of age.

The underlying cause of death, by which all deaths are classified, may be defined as (a) the disease or injury which initiated the train of morbid events leading directly to death, or (b) the circumstances of the accident or violence which produced the fatal injury¹. It is the responsibility of the certifying physician or medical examiner to indicate the underlying cause, and it is the responsibility of the Research and Statistics Division to assign the proper code number so that deaths may be classified by cause. Starting with the 1979 report, causes of death have been coded under the provisions of the "Ninth Revision International Classification of Diseases, adapted for use in the United States" (ICDA).

Leading Causes of Death

Cause-of-death ranking is based on the list of 72 Selected Causes of death, adapted from one of the special lists for mortality tabulations recommended by the World Health Organization for use with the Ninth Revision of the International Classification of Diseases. Two group titles - Major cardiovascular diseases and Symptoms and ill-defined conditions - are not ranked. In addition, category titles that begin with words "Other" or "All other" are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked (e.g., Tuberculosis, all forms), its component parts (in this case of Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

Race: When the word "Black" is used in this report, either in tables or text, it means "Black and other non-white races." The 1980 census found that approximately three percent of the total population was neither black nor white.

¹Manual of the International Statistical Classification of Disease, Injuries, and Cause of Death, Seventh Revision, 1955, Volume 1, page 357.

Rates used in this report are defined as outlined below:

Birth rate	$\frac{\text{Number of live births}}{\text{Estimated midyear population}}$	X 1,000
Out-of-wedlock ratio	$\frac{\text{Number of out-of-wedlock births}}{\text{Number of live births}}$	X 1,000
Age-specific rate	$\frac{\text{Number of live births to women in specific age group}}{\text{Estimated midyear female population in that age group}}$	X 1,000
Fertility rate	$\frac{\text{Number of live births}}{\text{Estimated midyear female population 15-44 years old}}$	X 1,000
Death rate	$\frac{\text{Number of deaths}}{\text{Estimated midyear population}}$	X 1,000 (or 100,000) as specified
Age-specific death rate	$\frac{\text{Number of deaths in specific age group}}{\text{Estimated midyear population in that age group}}$	X 100,000
Infant death rate	$\frac{\text{Number of deaths under one year of age}}{\text{Total number of live births}}$	X 1,000
Neonatal death rate	$\frac{\text{Number of deaths under 28 days of age}}{\text{Total number of live births}}$	X 1,000
Fetal death ratio	$\frac{\text{Number of fetal deaths (gestation 20 week or over)}}{\text{Total number of live births}}$	X 1,000
Maternal death rate	$\frac{\text{Number of deaths due to Complication of Pregnancy, Childbirth, and Puerperium}}{\text{Total number of live births}}$	X 10,000

POPULATION

The estimated population for 1981, by age, race and sex, is shown in Table 1.

VITAL STATISTICS HIGHLIGHTS: 1981

LIVE BIRTHS: There were 9,332 resident live births in 1981, slightly more than in 1980 but lower than the figures for 1978 or 1979. Although the birth rate has risen steadily these four years, from 13.9 in 1978 to 14.8 in 1981 the actual number of births has varied by less than 1 percent from the annual average of 9,341. As can be seen in Table A, births of blacks declined slightly in 1981 while births of whites made a substantial increase of 15.3 percent.

DEATHS: As with live births, there has been no clear trend in numbers of deaths since 1978, and the number in 1981 - 6,846 - was virtually the same as the average of 6,880 for the four year period. The death rate of 10.7 was below the 1980 rate but was higher than in any other year since 1974. When viewed by race it can be seen that the rate has been increasing for blacks each year since 1975, and that the rates of 10.5 in 1980 and 10.6 in 1981 were higher than in any of the 10 previous years. For whites there has been a strong decline since 1973 (Table B).

INFANT DEATHS: The infant mortality rate of 22.6 represented a resumption of the generally downward trend seen since 1975 and the same was true of the neonatal rate of 17.4 (Table C). The unmistakably downward direction of the infant mortality trend is best illustrated by the three-year moving averages shown in Table D.

The estimated infant mortality rate for the United States was 11.7 in 1981, but the difference between this rate and the District's was almost entirely a function of differences in distribution by birth weight, with low birthweight percentages of 12.9 for the District and 6.8 for the United States. As can be seen from the figures below there were substantial differences across the entire birth weight spectrum. Also shown below are the actual distribution of District births in 1981 by birthweight, the adjusted distribution - what the numbers in each weight group would have been if the U.S. percentages had applied to District births - and the actual D.C. infant mortality rates for each birth weight group. The last row shows the "expected" deaths, what the deaths would have been if our births had been distributed in the same way by birth weight as U.S. births. The total of 108 expected deaths would have yielded an infant mortality rate of 11.6, a shade below the U.S. rate.

	Total	Under 501	501- 1,000	1,001- 1,500	1,501- 2,000	2,001- 2,500	2,501- 3,000	3,001- 3,500	3,501- 4,000	4,001- 5,000	5,001 & over
U.S. Birthweight	1.000	.001 ¹	.004	.006	.013	.044	.164	.370	.291	.089	.016
D.C. Birthweight	1.000	.001 ¹	.014	.013	.024	.077	.230	.371	.208	.052	.001
D.C. Births: Actual	9,332	13	130	119	222	721	2,142	3,460	1,943	486	12
D.C. Births: Adjusted	9,332	9	37	56	121	411	1,530	3,453	2,716	831	149
D.C. Infant Mortality (Cohort) Rate ²	21.3	1,000.0	646.2	193.3	40.5	16.6	11.2	4.6	4.1	8.2	0
D.C. Expected Deaths	108	9	24	11	5	7	17	16	11	8	0

¹Before rounding, U.S. .00096 and D.C. .00139.

²The "cohort" rate is based on 199 deaths of infants born in 1981, some of whom died in 1982. The standard infant mortality rate of 22.6 is based on the 211 infants who died in 1981, of whom 18 were born in 1980.

FETAL DEATHS: Since 1973 there has been no distinct trend in fetal deaths although the number reported for 1981, 123, was one of the lowest during this period. The sharp drop in fetal deaths from 250 in 1972 to 141 in 1973 has been associated with the fact that 1973 was the first year in which the use of fetal monitoring equipment became widespread in District of Columbia Hospitals (Table E).

PERINATAL DEATHS: Except for the rate of 28.5 in 1979, the perinatal death rate of 30.1 in 1981 was the lowest ever recorded for District residents (Table F). The three-year moving averages of the perinatal rate were 30.0 for 1979-1981, 31.0 for 1978-1980, and 32.7 for 1977-1979 and these have been declining steadily since 1975-1977.

OUT-OF-WEDLOCK BIRTHS: The proportion of births which were out of wedlock increased again in 1981 to an all-time high of 58.8 percent (Table G).

LOW BIRTH WEIGHT: The incidence of low birth weight, 12.9 percent in 1981, has shown no trend at all since 1970, regardless of the general decline in infant mortality (Table H). In other words, the decreases in infant mortality have come from improved survival of immature births, not a decrease in immaturity itself.

Low birth weight, and, particularly, very low birth weight, was closely associated with wedlock status. As can be seen in Table I, 15.2 percent of out-of-wedlock births were 2,500 grams or less at birth, and 3.4 percent weighed 1,500 grams or less. In contrast only 9.6 percent of in-wedlock births were low birth weight (2,500 grams or less) while 1.9 percent were very low birth weight (1,500 grams or less).

BIRTHS TO TEENAGERS: Slightly more than a fifth of all births were to mothers under 20 years of age (20.9 percent), the same as in 1980. The slight increase in the percent of births which were to mothers under 18 years of age does not constitute a reversal of the definite downward trend from the peak year of 1972 (Table J).

MATERNAL MORTALITY: There was one maternal death in 1981, the same as in 1980, for a rate of 1.1 per 10,000 live births (Table K).

LEADING CAUSES OF DEATHS: The three leading causes of death do not change from year to year (Table 14). They are diseases of heart, cancer and stroke (cerebrovascular disease). The fourth cause was chronic liver disease and cirrhosis, followed closely by accidents and homicide, these 6 causes being the only ones accounting for more than 200 deaths each. The most striking fact, perhaps, about cause of death is that external violence (accidents, homicide, suicide and undetermined) caused almost 1 of every 12 deaths (8.2 percent), and that for males in 1981 homicide was the third leading cause of death (Table 18). For males, external violence accounted for 422 deaths, 11.5 percent of the total.

TABLE A.--LIVE BIRTHS AND BIRTH RATES, BY RACE AND SEX:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1981

Year	Live births						Live births		
	Total		Black		White				
	Number	Rate*	Number	Rate*	Number	Rate*	Male	Female	Sex ratio*
1981.....	9,332	14.8	7,749	16.8	1,583	9.4	4,820	4,512	1,068
1980.....	9,257	14.5	7,884	16.9	1,373	8.0	4,759	4,498	1,058
1979.....	9,403	14.2	8,053	16.5	1,350	7.9	4,851	4,552	1,066
1978.....	9,372	13.9	8,004	15.9	1,368	7.9	4,728	4,644	1,018
1977.....	9,885	14.3	8,515	16.4	1,370	8.0	4,985	4,900	1,017
1976.....	9,635	13.6	8,293	15.4	1,342	7.9	4,874	4,761	1,024
1975.....	9,746	13.5	8,462	15.1	1,284	7.9	4,942	4,804	1,029
1974.....	10,037	13.8	8,737	15.6	1,300	7.7	5,105	4,932	1,035
1973.....	10,837	14.7	9,413	16.8	1,424	8.0	5,572	5,265	1,058
1972.....	11,886	15.8	10,518	18.6	1,368	7.3	5,989	5,897	1,016
1971.....	13,914	18.5	12,131	21.9	1,783	8.9	7,082	6,832	1,037
1970.....	14,960	19.8	13,091	24.0	1,869	8.9	7,664	7,296	1,050

*Rate per 1,000 population

*Ratio of Males per 1,000 Females

TABLE B.--DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1981

Year	Deaths - all ages					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1981.....	6,846	10.7	4,928	10.6	1,918	11.2
1980.....	6,982	10.9	4,888	10.5	2,094	12.2
1979.....	6,734	10.2	4,685	9.6	2,049	12.0
1978.....	6,959	10.3	4,776	9.5	2,183	12.6
1977.....	7,064	10.2	4,828	9.3	2,236	13.0
1976.....	7,238	10.2	4,940	9.2	2,298	13.6
1975.....	7,446	10.3	5,018	9.0	2,428	14.9
1974.....	7,815	10.7	5,200	9.3	2,615	15.5
1973.....	8,017	10.8	5,172	9.2	2,845	15.9
1972.....	8,313	11.0	5,419	9.8	2,894	14.4
1971.....	8,405	11.2	5,429	9.8	2,976	14.8
1970.....	8,690	11.5	5,360	9.8	3,330	15.9

*Rates per 1,000 population

Table C.--INFANT AND NEONATAL DEATHS AND DEATH RATES, BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1981

Year	Infant deaths						Neonatal deaths					
	Total		Black		White		Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
1981----	211	22.6	196	25.3	15	9.5	162	17.4	147	19.0	15	9.5
1980----	228	24.6	210	26.6	18	13.1	168	18.1	156	19.8	12	8.7
1979----	207	22.0	199	24.7	8	5.9	159	16.9	152	18.9	7	5.2
1978----	242	25.8	229	28.6	13	9.5	179	19.1	168	21.0	11	8.0
1977----	270	27.3	251	29.5	19	13.9	203	20.3	189	22.2	14	10.2
1976----	240	24.9	230	27.7	10	7.5	193	20.0	188	22.7	5	3.7
1975----	279	28.6	254	30.0	25	19.5	220	22.6	198	23.4	22	17.1
1974----	277	27.6	255	29.2	22	16.9	216	21.5	196	22.4	20	15.4
1973----	276	25.5	245	26.0	31	21.8	208	19.2	185	19.7	23	16.2
1972----	323	27.2	296	28.1	27	19.7	235	19.8	213	20.3	22	16.1
1971----	396	28.5	368	30.3	28	15.7	294	21.1	273	22.5	21	11.8
1970----	432	28.9	389	29.7	43	23.0	339	22.7	303	23.1	36	19.3

*Rates per 1,000 live births.

Table D.--THREE YEAR MOVING AVERAGE OF INFANT MORTALITY RATE BY AGE AT DEATH:
DISTRICT OF COLUMBIA, 1961-1963 TO 1979-1981

Year	Rates per 1,000 live births				
	All ages	Less than 1 day	1-6 days	7-27 days	28 days-11 months
1961-1963-----	34.2	16.2	7.4	2.0	8.6
1962-1964-----	34.0	15.7	7.3	2.2	8.8
1963-1965-----	32.5	14.7	6.9	2.2	8.7
1964-1966-----	33.3	15.9	6.5	2.3	8.5
1965-1967-----	31.8	15.9	6.2	1.8	7.9
1966-1968-----	32.6	16.7	6.5	1.7	7.6
1967-1969-----	30.4	15.7	5.9	1.8	7.0
1968-1970-----	29.9	15.0	5.9	2.2	6.8
1969-1971-----	28.8	14.4	5.6	2.1	6.6
1970-1972-----	28.2	13.4	5.8	2.0	7.0
1971-1973-----	27.1	12.3	5.7	2.0	7.0
1972-1974-----	26.8	11.7	5.8	2.7	6.6
1973-1975-----	27.2	12.1	6.1	2.8	6.1
1974-1976-----	27.0	12.4	6.3	2.7	5.7
1975-1977-----	26.9	12.4	6.2	2.5	5.9
1976-1978-----	26.0	11.9	5.8	2.2	6.1
1977-1979-----	25.0	11.5	5.1	2.2	6.2
1978-1980-----	24.2	11.1	5.1	1.9	6.1
1979-1981-----	23.1	10.5	5.1	1.9	5.6

Table E.--FETAL DEATHS AND DEATH RATES, BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1981

Year	Fetal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1981-----	123	13.0	115	14.6	8	5.0
1980-----	126	13.4	103	12.9	23	16.5
1979-----	112	11.8	100	12.3	12	8.8
1978-----	137	14.4	125	15.4	12	8.7
1977-----	160	15.9	152	17.5	8	5.8
1976-----	169	17.2	154	18.2	15	11.1
1975-----	149	15.1	138	16.0	11	8.5
1974-----	140	13.8	127	14.3	13	9.9
1973-----	141	12.8	127	13.3	14	9.7
1972-----	250	20.6	216	20.1	34	24.3
1971-----	286	20.1	240	19.4	46	25.2
1970-----	258	17.0	228	17.1	30	15.8

*Rate per 1,000 deliveries.

Table F.--PERINATAL DEATHS AND DEATH RATES, BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1981
(Neonatal plus fetal deaths)

Year	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1981-----	285	30.1	262	33.3	23	14.5
1980-----	294	31.3	259	32.4	35	25.1
1979-----	271	28.5	252	30.9	19	14.0
1978-----	316	33.2	293	36.0	23	16.7
1977-----	363	35.7	336	38.8	22	16.0
1976-----	362	36.5	341	40.4	17	12.6
1975-----	369	37.3	336	39.1	33	25.5
1974-----	356	35.0	323	36.4	33	25.1
1973-----	349	31.8	326	34.2	37	25.7
1972-----	485	40.0	429	40.0	56	39.9
1971-----	580	40.8	513	41.5	67	36.6
1970-----	597	39.2	531	39.9	66	34.8

*Rate per 1,000 deliveries.

Table G.--OUT-OF-WEDLOCK BIRTHS BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1981

Year	Out-of-wedlock births					
	Total		Black		White	
	Number	Per- cent	Number	Per- cent	Number	Per- cent
1981-----	5,483	58.8	5,175	66.8	308	19.5
1980-----	5,369	58.0	5,135	65.1	234	17.0
1979-----	5,443	57.9	5,255	65.3	188	13.9
1978-----	5,186	55.3	5,016	62.7	170	12.4
1977-----	5,243	53.0	5,074	59.6	169	12.3
1976-----	5,065	52.6	4,886	58.9	179	13.3
1975-----	4,988	51.2	4,822	57.0	166	12.9
1974-----	4,994	49.8	4,801	55.0	193	14.8
1973-----	5,061	46.7	4,856	51.6	205	14.4
1972-----	5,509	46.3	5,359	51.0	150	11.0
1971-----	5,974	42.9	5,740	47.3	234	13.1
1970-----	6,104	40.8	5,855	44.7	249	13.3

Table H.--INCIDENCE OF LOW BIRTH WEIGHT, BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1981

Year	Births of 2,500 grams or less					
	Total		Black		White	
	Number	Per- cent	Number	Per- cent	Number	Per- cent
1981-----	1,205	12.9	1,108	14.3	97	6.1
1980-----	1,214	13.1	1,130	14.3	84	6.1
1979-----	1,195	12.7	1,123	13.9	72	5.3
1978-----	1,239	13.2	1,143	14.3	96	7.0
1977-----	1,330	13.5	1,239	14.6	91	6.6
1976-----	1,217	12.6	1,136	13.7	81	6.0
1975-----	1,333	13.7	1,255	14.8	78	6.1
1974-----	1,325	13.2	1,245	14.2	80	6.2
1973-----	1,349	12.4	1,256	13.3	93	6.5
1972-----	1,490	12.5	1,407	13.4	83	6.1
1971-----	1,731	12.4	1,631	13.4	100	5.6
1970-----	1,959	13.1	1,795	13.7	164	8.8

Table I.--NUMBER AND PERCENT DISTRIBUTION OF LIVE BIRTHS BY BIRTH WEIGHT AND WEDLOCK STATUS: D.C. RESIDENTS, 1981

Birth weight (in grams)	Wedlock status					
	Total		Out-of-wedlock		In-wedlock	
	Number	Per- cent	Number	Per- cent	Number	Per- cent
Total-----	9,332	100.0	5,483	100.0*	3,849	100.0*
Under 501-----	13	0.1	7	0.1	6	0.2
501-750-----	53	0.6	37	0.7	16	0.4
751-1,000-----	77	0.8	49	0.9	28	0.7
1,001-1,250-----	56	0.6	47	0.9	9	0.2
1,251-1,500-----	63	0.7	47	0.9	16	0.4
1,501-1,750-----	95	1.0	65	1.2	30	0.8
1,751-2,000-----	127	1.4	83	1.5	44	1.1
2,001-2,250-----	254	2.7	181	3.3	73	1.9
2,251-2,500-----	467	5.0	319	5.8	148	3.8
2,501 and over----	8,043	86.2	4,600	83.9	3,443	89.5
Not stated-----	84	0.9	48	0.9	36	0.9
2,500 or less-----	1,205	12.9	835	15.2	370	9.6

*Percentages do not add exactly to 100.0 because of rounding.

Table J.--BIRTHS TO ADOLESCENT MOTHERS, BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1981

Year	Births to mothers under 20 years of age						Births to mothers under 18 years of age					
	Total		Black		White		Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
1981-----	1,946	20.9	1,857	24.0	89	5.6	863	9.2	838	10.8	25	1.6
1980-----	1,932	20.9	1,864	23.6	68	5.0	833	9.0	821	10.4	22	1.6
1979-----	2,145	22.8	2,063	25.6	82	6.1	959	10.2	933	11.6	26	1.9
1978-----	2,087	22.3	2,013	25.1	74	5.4	968	10.3	933	11.7	35	2.6
1977-----	2,253	22.8	2,188	25.7	65	4.7	1,053	10.7	1,030	12.1	23	1.7
1976-----	2,356	24.5	2,264	27.3	92	6.9	1,107	11.5	1,070	12.9	37	2.8
1975-----	2,636	27.0	2,523	29.8	113	8.8	1,232	12.6	1,178	13.9	54	4.2
1974-----	2,809	28.0	2,684	30.7	125	9.6	1,343	13.4	1,285	14.7	58	4.5
1973-----	3,028	27.9	2,903	30.8	125	8.8	1,499	13.8	1,437	15.3	62	4.4
1972-----	3,386	28.5	3,314	31.5	72	5.3	1,657	13.9	1,635	15.5	22	1.6
1971-----	3,822	27.5	3,682	30.4	140	7.9	1,783	12.8	1,746	14.4	37	2.1
1970-----	4,007	26.8	3,851	29.4	156	8.3	1,861	12.4	1,820	13.9	41	2.2

TABLE K.--MATERNAL MORTALITY:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1981

Year	Maternal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1981...	1	1.1	1	1.3	-	0
1980...	1	1.1	1	1.3	-	0
1979...	3	3.2	2	2.5	1	7.4
1978...	-	0	-	0	-	0
1977...	3	3.0	3	3.5	-	0
1976...	2	2.1	2	2.4	-	0
1975...	4	4.1	4	4.7	-	0
1974...	4	4.0	4	4.6	-	0
1973...	2	1.8	2	2.1	-	0
1972...	2	1.7	2	1.9	-	0
1971...	4	2.9	3	2.5	1	5.6
1970...	11	7.4	10	7.6	1	5.4

*Rate per 10,000 live births.

TABLE L.--RECORDED EVENTS, AND RESIDENT EVENTS IN OTHER STATES:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1981

Year	Recorded events - in D.C.		Resident events - outside D.C.	
	Births	Deaths	Births	Deaths
1981.....	20,209	8,678	530	612
1980	20,262	8,815	373	623
1979.....	20,157	8,619	368	560
1978.....	19,743	8,755	413	649
1977.....	20,653	8,987	436	621
1976.....	19,916	9,183	431	716
1975.....	19,826	9,423	359	731
1974.....	19,865	9,786	337	814
1973.....	20,696	9,850	383	927
1972.....	22,600	10,153	413	961
1971.....	25,932	10,291	473	1,024
1970.....	28,141	10,526	562	1,105




Figure 1. Map of D.C. Showing Wards

Tables

TABLE 1.--ESTIMATED POPULATION BY AGE, RACE, AND SEX: DISTRICT OF COLUMBIA, 1981

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total...	630,600	291,800	338,800	462,400	213,200	249,200	168,200	78,600	89,600
Under 5.....	34,400	17,300	17,100	30,000	15,100	14,900	4,400	2,200	2,200
5-9.....	33,100	16,800	16,300	29,300	14,800	14,500	3,800	2,000	1,800
10-14.....	39,700	19,900	19,800	35,400	17,700	17,700	4,300	2,200	2,100
15-19.....	53,900	26,600	27,300	46,600	23,000	23,600	7,300	3,600	3,700
20-24.....	71,300	33,000	38,300	48,100	22,100	26,000	23,200	10,900	12,300
25-29.....	67,500	31,500	36,000	43,500	19,900	23,600	24,000	11,600	12,400
30-34.....	58,900	28,400	30,500	40,000	18,700	21,300	18,900	9,700	9,200
35-39.....	39,900	19,100	20,800	27,100	12,300	14,800	12,800	6,800	6,000
40-44.....	33,100	15,900	17,200	24,800	11,400	13,400	8,300	4,500	3,800
45-49.....	29,400	13,700	15,700	22,400	10,000	12,400	7,000	3,700	3,300
50-54.....	31,900	14,800	17,100	24,300	10,900	13,400	7,600	3,900	3,700
55-59.....	33,600	14,900	18,700	24,700	10,900	13,800	8,900	4,000	4,900
60-64.....	29,400	12,800	16,600	21,300	9,200	12,100	8,100	3,600	4,500
65 and over..	74,500	27,100	47,400	44,900	17,200	27,700	29,600	9,900	19,700

Table 2.--NUMBER OF TOTAL RESIDENT LIVE BIRTHS AND DEATHS, NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS: DISTRICT OF COLUMBIA 1975-1981 AND AVERAGES 1945-1979

Year	Live births	Deaths	Number			Rates ^{2/}		
			Infant deaths	Neonatal deaths	Fetal deaths ^{1/}	Infant deaths	Neonatal deaths	Fetal deaths
1981.....	9,332	6,846	211	162	123	22.6	17.4	13.2
1980.....	9,257	6,982	228	168	126	24.6	18.1	13.6
1979.....	9,403	6,734	207	159	112	22.0	16.9	11.9
1978.....	9,372	6,959	242	179	137	25.8	19.1	14.6
1977.....	9,885	7,064	270	203	160	27.3	20.5	16.2
1976.....	9,635	7,238	240	193	169	24.9	20.0	17.5
1975.....	9,746	7,446	279	220	149	28.6	22.6	15.3
AVERAGE ANNUAL								
1975-1979.....	9,608	7,088	248	191	146	25.8	19.9	15.2
1970-1974.....	12,327	8,248	341	258	215	27.7	20.9	17.4
1965-1969.....	15,796	8,873	511	387	314	32.3	24.5	19.9
1960-1964.....	19,768	8,881	684	513	370	34.6	26.0	18.7
1955-1959.....	19,739	8,559	678	520	355	34.3	26.3	18.0
1950-1954.....	20,514	8,392	628	499	398	30.6	24.3	19.4
1945-1949.....	19,411	8,324	669	516	441	34.5	26.6	22.7

^{1/} Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

^{2/} Per 1,000 live births.

Table 3.—NUMBER OF BLACK RESIDENT LIVE BIRTHS AND DEATHS, NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS: DISTRICT OF COLUMBIA 1975-1981 AND AVERAGES 1945-1979

Year	Live births	Deaths	Number			Rates ^{2/}		
			Infant deaths	Neonatal deaths	Fetal deaths ^{1/}	Infant deaths	Neonatal deaths	Fetal deaths
1981.....	7,749	4,928	196	147	115	25.3	19.0	14.8
1980.....	7,884	4,888	210	156	103	26.6	19.8	13.1
1979.....	8,053	4,685	199	152	100	24.7	18.9	12.4
1978.....	8,004	4,776	229	168	125	28.6	21.0	15.6
1977.....	8,515	4,828	251	189	152	29.5	22.2	17.9
1976.....	8,293	4,940	230	188	154	27.7	22.7	18.6
1975.....	8,462	5,018	254	198	138	30.0	23.4	16.3
AVERAGE ANNUAL								
1975-1979.....	8,265	4,849	233	179	134	28.2	21.7	16.2
1970-1974.....	10,778	5,316	311	234	188	28.9	21.7	17.4
1965-1969.....	13,148	5,183	451	339	276	34.3	25.8	21.0
1960-1964.....	14,225	4,463	542	402	295	38.1	28.3	20.7
1955-1959.....	12,581	3,733	498	374	258	39.6	29.7	20.5
1950-1954.....	9,814	3,231	337	255	237	34.3	26.0	24.1
1945-1949.....	7,105	3,029	302	221	230	42.5	31.1	32.4

^{1/} Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

^{2/} Per 1,000 live births.

Table 4.--NUMBER OF WHITE RESIDENT LIVE BIRTHS AND DEATHS, NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS: DISTRICT OF COLUMBIA 1975-1981 AND AVERAGES 1945-1979

Year	Live births	Deaths	Number			Rates ^{2/}		
			Infant deaths	Neonatal deaths	Fetal deaths ^{1/}	Infant deaths	Neonatal deaths	Fetal deaths
1981.....	1,583	1,918	15	15	8	9.5	9.5	5.1
1980.....	1,373	2,094	18	12	23	13.1	8.7	16.8
1979.....	1,350	2,049	8	7	12	5.9	5.2	8.9
1978.....	1,368	2,183	13	11	12	9.5	8.0	8.8
1977.....	1,370	2,236	19	14	8	13.9	10.2	5.8
1976.....	1,342	2,298	10	5	15	7.5	3.7	11.2
1975.....	1,284	2,428	25	22	11	19.5	17.1	8.6
AVERAGE ANNUAL								
1975-1979.....	1,343	2,239	15	12	12	11.2	8.9	8.9
1970-1974.....	1,549	2,932	30	24	27	19.4	15.5	17.4
1965-1969.....	2,648	3,690	60	48	38	22.7	18.1	14.4
1960-1964.....	5,543	4,418	142	111	75	25.3	20.0	13.5
1955-1959.....	7,158	4,826	180	146	97	25.1	20.4	13.6
1950-1954.....	10,700	5,161	291	244	161	27.2	22.8	15.0
1945-1949.....	12,306	5,295	267	295	212	29.8	24.0	17.2

^{1/} Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

^{2/} Per 1,000 live births.

Table 5.--OUT-OF-WEDLOCK RATIOS BY AGE OF MOTHER AND RACE:
DISTRICT OF COLUMBIA, 1975-1981

Year and Race	Total ^{1/}	Age of mother (in years)						
		Under 15	15-19	20-24	25-29	30-34	35-39	40 and over
TOTAL								
1981.....	587.5	1000.0	913.3	706.4	470.9	277.1	226.6	362.6
1980.....	580.0	1000.0	917.8	690.1	434.9	275.9	233.1	200.0
1979.....	578.9	1000.0	921.4	684.7	423.1	229.5	226.1	292.7
1978.....	553.4	1000.0	914.3	632.6	386.3	232.3	214.5	247.1
1977.....	530.4	977.0	900.3	604.9	333.1	216.0	209.0	252.9
1976.....	525.7	977.8	901.1	585.0	320.5	174.1	209.2	174.4
1975.....	511.8	991.4	861.9	539.7	282.8	195.1	196.3	259.3
BLACK								
1981.....	667.8	1000.0	931.9	739.2	529.5	378.1	300.0	500.0
1980.....	651.3	1000.0	929.9	716.6	488.7	378.1	318.8	236.4
1979.....	652.6	1000.0	933.7	704.6	479.1	341.6	329.8	338.7
1978.....	626.7	1000.0	928.1	664.9	444.4	334.8	310.5	272.7
1977.....	595.9	976.7	913.9	638.3	380.9	300.3	256.0	312.5
1976.....	589.2	977.0	911.3	614.9	374.7	237.9	278.6	215.4
1975.....	569.8	991.0	877.3	564.2	332.6	273.7	252.7	311.5
WHITE								
1981.....	194.6	-	539.3	367.6	184.1	101.4	137.9	121.2
1980.....	170.4	1000.0	578.1	350.5	156.8	72.0	99.5	120.0
1979.....	139.3	1000.0	617.3	349.4	121.5	34.0	76.1	150.0
1978.....	124.3	1000.0	528.6	235.8	101.0	39.5	71.9	157.9
1977.....	123.4	1000.0	453.1	211.2	99.3	57.7	101.6	87.0
1976.....	133.4	1000.0	651.7	202.6	89.6	52.4	61.1	47.6
1975.....	129.3	1000.0	518.5	233.1	63.5	39.2	47.6	100.0

^{1/}Includes age of mother not stated which is not shown separately.
NOTE: Ratios per 1,000 live births in specified groups.

Table 6.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS BY LIVE-BIRTH ORDER AND RACE:
DISTRICT OF COLUMBIA, 1978-1981 AND AVERAGES 1965-1979

Live birth order and race	Number							Percent						
	1981	1980	1979	1978	Annual average			1981	1980	1979	1978	Annual average		
					1975- 1979	1970- 1974	1965- 1969					1975- 1979	1970- 1974	1965- 1969
Total.....	9,332	9,257	9,403	9,372	9,608	12,326	15,796	100.0	100.0	100.0	100.0	100.0	100.0	100.0
First child.....	4,605	4,437	4,535	4,372	4,573	5,824	6,444	49.3	47.9	48.2	46.6	47.6	47.2	40.8
Second child.....	2,522	2,575	2,544	2,626	2,653	3,244	3,785	27.0	27.8	27.1	28.0	27.6	26.3	24.0
Third child.....	1,236	1,247	1,290	1,284	1,270	1,543	2,116	13.2	13.5	13.7	13.7	13.2	12.5	13.4
Fourth child.....	543	508	554	559	569	781	1,291	5.8	5.5	5.9	6.0	5.9	6.3	8.2
Fifth child.....	241	231	251	275	271	410	819	2.6	2.5	2.7	2.9	2.8	3.3	5.2
Sixth child.....	98	131	104	127	127	224	540	1.1	1.4	1.1	1.4	1.3	1.8	3.4
Seventh child.....	50	66	61	73	75	127	332	0.5	0.7	0.6	0.8	0.8	1.0	2.1
Eighth child and over.....	29	53	52	46	60	173	469	0.3	0.6	0.6	0.5	0.6	1.4	3.0
Not stated.....	8	9	12	10	10	-	-	0.1	0.1	0.1	0.1	0.1	0	0
Black.....	7,749	7,884	8,053	8,004	8,265	10,778	13,148	100.0	100.0	100.0	100.0	100.0	100.0	100.0
First child.....	3,737	3,675	3,792	3,631	3,832	4,967	5,081	48.2	46.6	47.1	45.4	46.4	46.1	38.6
Second child.....	2,079	2,180	2,140	2,228	2,263	2,806	3,108	26.8	27.7	26.6	27.8	27.4	26.0	23.6
Third child.....	1,057	1,115	1,162	1,141	1,136	1,393	1,806	13.6	14.1	14.4	14.3	13.7	12.9	13.7
Fourth child.....	484	460	516	510	525	727	1,146	6.2	5.8	6.4	6.4	6.4	6.7	8.7
Fifth child.....	219	214	232	251	253	384	754	2.8	2.7	2.9	3.1	3.1	3.6	5.7
Sixth child.....	89	124	94	120	118	212	499	1.1	1.6	1.2	1.5	1.4	2.0	3.8
Seventh child.....	49	59	57	70	72	123	311	0.6	0.7	0.7	0.9	0.9	1.1	2.4
Eighth child and over.....	27	48	48	43	56	166	443	0.3	0.6	0.6	0.5	0.7	1.5	3.4
Not stated.....	8	9	12	10	10	-	-	0.1	0.1	0.1	0.1	0.1	0	0
White.....	1,583	1,373	1,350	1,368	1,343	1,548	2,648	100.0	100.0	100.0	100.0	100.0	100.0	100.0
First child.....	868	762	743	741	741	857	1,363	54.8	55.5	55.0	54.2	55.2	55.4	51.5
Second child.....	443	395	404	398	391	438	677	28.0	28.8	29.9	29.1	29.1	28.3	25.6
Third child.....	179	132	128	143	133	150	310	11.3	9.6	9.5	10.5	9.9	9.7	11.7
Fourth child.....	59	48	38	49	44	54	145	3.7	3.5	2.8	3.6	3.3	3.5	5.5
Fifth child.....	22	17	19	24	19	26	65	1.4	1.2	1.4	1.8	1.4	1.7	2.5
Sixth child.....	9	7	10	7	9	12	41	0.6	0.5	0.7	0.5	0.7	0.8	1.5
Seventh child.....	1	7	4	3	3	4	21	0.1	0.5	0.3	0.2	0.2	0.3	0.8
Eighth child and over.....	2	5	4	3	3	7	26	0.1	0.4	0.3	0.2	0.2	0.5	1.0
Not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7.--LIVE BIRTHS BY LIVE BIRTH ORDER, AGE OF MOTHER AND PLURALITY, ALL RACES:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Age of Mother and Plurality	Total	Live Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not Stated
Plural births.....	221	55	84	44	20	11	5	1	-	1	-	-
Less than 15 years.....	4	2	2	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-	-	-
13.....	2	1	1	-	-	-	-	-	-	-	-	-
14.....	2	1	1	-	-	-	-	-	-	-	-	-
15-19 years.....	32	12	16	4	-	-	-	-	-	-	-	-
15.....	-	-	-	-	-	-	-	-	-	-	-	-
16.....	4	1	2	1	-	-	-	-	-	-	-	-
17.....	6	1	3	2	-	-	-	-	-	-	-	-
18.....	8	4	4	-	-	-	-	-	-	-	-	-
19.....	14	6	7	1	-	-	-	-	-	-	-	-
20-24 years.....	60	21	28	7	2	1	1	-	-	-	-	-
25-29 years.....	50	7	13	15	9	4	2	-	-	-	-	-
30-34 years.....	51	10	17	11	7	4	-	1	-	1	-	-
35-39 years.....	20	2	6	6	2	2	2	-	-	-	-	-
40-44 years.....	4	1	2	1	-	-	-	-	-	-	-	-
45 and over.....	-	-	-	-	-	-	-	-	-	-	-	-
Not Stated.....	-	-	-	-	-	-	-	-	-	-	-	-

Table 7.--LIVE BIRTHS BY LIVE BIRTH ORDER, AGE OF MOTHER AND PLURALITY, ALL RACES:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Age of Mother and Plurality	Total	Live Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not Stated
Single births.....	9,111	4,550	2,438	1,192	523	230	93	49	17	7	4	8
Less than 15 years.....	62	60	2	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	3	3	-	-	-	-	-	-	-	-	-	-
13.....	11	11	-	-	-	-	-	-	-	-	-	-
14.....	48	46	2	-	-	-	-	-	-	-	-	-
15-19 years.....	1,848	1,483	301	54	9	1	-	-	-	-	-	-
15.....	135	129	6	-	-	-	-	-	-	-	-	-
16.....	285	259	24	2	-	-	-	-	-	-	-	-
17.....	367	301	64	1	1	-	-	-	-	-	-	-
18.....	475	368	95	12	-	-	-	-	-	-	-	-
19.....	586	426	112	39	8	1	-	-	-	-	-	-
20-24 years.....	2,804	1,450	857	360	107	24	3	1	-	-	-	-
25-29 years.....	2,256	818	708	415	186	88	19	16	-	1	1	-
30-34 years.....	1,544	572	423	256	150	70	46	17	3	-	1	2
35-39 years.....	492	139	129	88	63	31	20	12	7	2	1	-
40-44 years.....	82	15	16	16	7	14	4	3	5	1	-	4
45 and over.....	5	-	-	-	1	2	1	-	2	2	1	2
Not Stated.....	18	13	2	3	-	-	-	-	-	1	-	-

Table 7.--LIVE BIRTHS BY LIVE BIRTH ORDER, AGE OF MOTHER AND PLURALITY, ALL RACES:
DISTRICT OF COLUMBIA, 1981

Age of Mother and Plurality	Total	Live Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not Stated
Total.....	9,332	4,605	2,522	1,236	543	241	98	50	17	8	4	8
Less than 15 years.....	66	62	4	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	3	3	-	-	-	-	-	-	-	-	-	-
13.....	13	12	1	-	-	-	-	-	-	-	-	-
14.....	50	47	3	-	-	-	-	-	-	-	-	-
15-19 years.....	1,880	1,495	317	58	9	1	-	-	-	-	-	-
15.....	135	129	6	-	-	-	-	-	-	-	-	-
16.....	289	260	26	3	-	-	-	-	-	-	-	-
17.....	373	302	67	3	1	-	-	-	-	-	-	-
18.....	483	372	99	12	-	-	-	-	-	-	-	-
19.....	600	432	119	40	8	1	-	-	-	-	-	-
20-24 years.....	2,864	1,471	885	367	109	25	4	1	-	1	1	-
25-29 years.....	2,306	825	721	430	195	92	21	16	3	-	1	2
30-34 years.....	1,595	582	440	267	157	74	46	18	7	3	1	-
35-39 years.....	512	141	135	94	65	33	22	12	5	1	-	4
40-44 years.....	86	16	18	17	7	14	4	3	2	2	1	2
45 and over.....	5	-	-	-	1	2	1	-	-	1	-	-
Not Stated.....	18	13	2	3	-	-	-	-	-	-	-	-

Table 8.--LIVE BIRTHS BY LIVE BIRTH ORDER AND AGE OF MOTHER, BLACK RESIDENTS:
DISTRICT OF COLUMBIA, 1981

Age of Mother	Total	Live Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not Stated
Total.....	7,749	3,737	2,079	1,057	484	219	89	49	16	7	4	8
Less than 15 years.....	66	62	4	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	3	3	-	-	-	-	-	-	-	-	-	-
13.....	13	12	1	-	-	-	-	-	-	-	-	-
14.....	50	47	3	-	-	-	-	-	-	-	-	-
15-19 years.....	1,791	1,424	301	56	9	1	-	-	-	-	-	-
15.....	134	129	5	-	-	-	-	-	-	-	-	-
16.....	281	253	25	3	-	-	-	-	-	-	-	-
17.....	357	289	64	3	1	-	-	-	-	-	-	-
18.....	459	355	92	12	-	-	-	-	-	-	-	-
19.....	560	398	115	38	8	1	-	-	-	-	-	-
20-24 years.....	2,611	1,324	818	338	102	22	4	1	-	1	1	-
25-29 years.....	1,915	592	623	393	181	85	19	16	3	-	1	2
30-34 years.....	1,013	266	266	202	139	70	42	17	7	3	1	-
35-39 years.....	280	52	58	55	46	28	20	12	4	1	-	4
40-44 years.....	57	7	7	10	6	13	4	3	2	2	1	2
45 and over.....	1	-	-	-	1	-	-	-	-	-	-	-
Not Stated.....	15	10	2	3	-	-	-	-	-	-	-	-

Table 9.--LIVE BIRTHS BY LIVE BIRTH ORDER AND AGE OF MOTHER, WHITE RESIDENTS:
DISTRICT OF COLUMBIA, 1981

Age of Mother	Total	Live Birth Order										
		1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not Stated
Total.....	1,583	868	443	179	59	22	9	1	1	1	-	-
Less than 15 years.....	-	-	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-	-	-
13.....	-	-	-	-	-	-	-	-	-	-	-	-
14.....	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	89	71	16	2	-	-	-	-	-	-	-	-
15.....	1	-	1	-	-	-	-	-	-	-	-	-
16.....	8	7	1	-	-	-	-	-	-	-	-	-
17.....	16	13	3	-	-	-	-	-	-	-	-	-
18.....	24	17	7	-	-	-	-	-	-	-	-	-
19.....	40	34	4	2	-	-	-	-	-	-	-	-
20-24 years.....	253	147	67	29	7	3	-	-	-	-	-	-
25-29 years.....	391	233	98	37	14	7	2	-	-	-	-	-
30-34 years.....	582	316	174	65	18	4	4	1	-	-	-	-
35-39 years.....	232	89	77	39	19	5	2	-	1	-	-	-
40-44 years.....	29	9	11	7	1	1	-	-	-	-	-	-
45 and over.....	4	-	-	-	-	2	1	-	-	1	-	-
Not Stated.....	3	3	-	-	-	-	-	-	-	-	-	-

Table 10.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, ALL RESIDENTS:
DISTRICT OF COLUMBIA, 1981

Ward	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Total.....	9,332	66	1,880	2,864	2,306	1,595	512	86	5	18
Ward 1.....	1,293	9	254	384	335	217	66	23	3	2
Ward 2.....	954	11	189	282	257	156	45	9	-	5
Ward 3.....	637	-	13	42	147	294	127	13	-	1
Ward 4.....	986	1	146	316	260	188	65	9	-	1
Ward 5.....	1,115	8	236	395	258	167	43	4	1	3
Ward 6.....	1,177	10	269	355	284	183	65	8	1	2
Ward 7.....	1,436	9	320	501	367	173	56	9	-	1
Ward 8.....	1,689	16	445	576	387	209	43	10	-	3
Not reported.....	45	2	8	13	11	8	2	1	-	-

Table 11.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, BLACK RESIDENTS:
DISTRICT OF COLUMBIA, 1981

Ward	Total	Age of Mother								Not Stated
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	
Total.....	7,749	65	1,791	2,611	1,915	1,013	280	57	1	15
Ward 1.....	959	9	226	306	254	116	34	12	1	1
Ward 2.....	732	11	174	243	179	95	20	6	-	4
Ward 3.....	74	-	4	12	17	23	16	1	-	1
Ward 4.....	889	1	141	299	245	152	42	8	-	1
Ward 5.....	1,069	8	232	384	245	156	38	3	-	3
Ward 6.....	1,016	10	264	338	251	110	35	7	-	1
Ward 7.....	1,397	9	315	487	358	166	52	9	-	1
Ward 8.....	1,577	16	427	532	358	190	41	10	-	3
Not reported.....	36	2	8	10	8	5	2	1	-	-

Table 12.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, WHITE RESIDENTS:
DISTRICT OF COLUMBIA, 1981

Ward	Total	Age of Mother								Not Stated
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	
Total.....	1,583	-	89	253	391	582	232	29	4	3
Ward 1.....	334	-	28	78	81	101	32	11	2	1
Ward 2.....	222	-	15	39	78	61	25	3	-	1
Ward 3.....	563	-	9	30	130	271	111	12	-	-
Ward 4.....	97	-	5	17	15	36	23	1	-	-
Ward 5.....	46	-	4	11	13	11	5	1	1	-
Ward 6.....	161	-	5	17	33	73	30	1	1	1
Ward 7.....	39	-	5	14	9	7	4	-	-	-
Ward 8.....	112	-	18	44	29	19	2	-	-	-
Not reported.....	9	-	-	3	3	3	-	-	-	-

Table 13.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS
(OUT-OF-WEDLOCK, PREMATURE, IMMATURE, AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD:
DISTRICT OF COLUMBIA, 1981

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
ALL RACES										
Total live births.....	9,332	1,293	954	637	986	1,115	1,177	1,436	1,689	45
Percent distribution.....	100.0	13.9	10.2	6.8	10.6	11.9	12.6	15.4	18.1	0.5
Out-of-wedlock births										
Number.....	5,483	738	550	68	519	716	744	985	1,132	31
Ratio per 1,000 live births..	587.5	570.8	576.5	106.8	526.4	642.2	632.1	685.9	670.2	688.9
Premature births ^{1/}										
Number.....	1,480	205	171	47	146	196	168	237	305	5
Percent of total births.....	15.9	15.9	17.9	7.4	14.8	17.6	14.3	16.5	18.1	11.1
Percent distribution.....	100.0	13.9	11.6	3.2	9.9	13.2	11.4	16.0	20.6	0.3
Immature births ^{2/}										
Number.....	1,205	156	120	33	119	152	158	208	255	4
Percent of total births.....	12.9	12.1	12.6	5.2	12.1	13.6	13.4	14.5	15.1	8.9
Percent distribution.....	100.0	12.9	10.0	2.7	9.9	12.6	13.1	17.3	21.2	0.3
Inadequate prenatal care ^{3/}										
Number.....	413	89	60	9	31	44	43	73	61	3
Percent of total births.....	4.4	6.9	6.3	1.4	3.1	3.9	3.7	5.1	3.6	6.7
Percent distribution.....	100.0	21.5	14.5	2.2	7.5	10.7	10.4	17.7	14.8	0.7

^{1/} Less than 37 weeks period of gestation.

^{2/} Birth weight of 2,500 grams or less.

^{3/} Prenatal care initiated in last trimester (28 weeks or more) or no prenatal care.

Table 13.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS
(OUT-OF-WEDLOCK, PREMATURE, IMMATURE, AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
BLACK										
Total live births.....	7,749	959	732	74	889	1,069	1,016	1,397	1,577	36
Percent distribution.....	100.0	12.4	9.4	1.0	11.5	13.8	13.1	18.0	20.4	0.5
Out-of-wedlock births										
Number.....	5,175	628	494	18	494	705	726	974	1,110	26
Ratio per 1,000 live births..	667.8	654.8	674.9	243.2	555.7	659.5	714.6	697.2	703.9	722.2
Premature births ^{1/}										
Number.....	1,329	165	141	9	140	192	156	233	288	5
Percent of total births.....	17.2	17.2	19.3	12.2	15.7	18.0	15.4	16.7	18.3	13.9
Percent distribution.....	100.0	12.4	10.6	0.7	10.5	14.4	11.7	17.5	21.7	0.4
Immature births ^{2/}										
Number.....	1,108	129	99	8	116	149	150	205	248	4
Percent of total births.....	14.3	13.5	13.5	10.8	13.0	13.9	14.8	14.7	15.7	11.1
Percent distribution.....	100.0	11.6	8.9	0.7	10.5	13.4	13.5	18.5	22.4	0.4
Inadequate prenatal care ^{3/}										
Number.....	366	67	50	1	30	43	42	72	59	2
Percent of total births.....	4.7	7.0	6.8	1.4	3.4	4.0	4.1	5.2	3.7	5.6
Percent distribution.....	100.0	18.3	13.7	0.3	8.2	11.7	11.5	19.7	16.1	0.5

^{1/} Less than 37 weeks period of gestation.

^{2/} Birth weight of 2,500 grams or less.

^{3/} Prenatal care initiated in last trimester (28 weeks or more) or no prenatal care.

Table 13.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS
(OUT-OF-WEDLOCK, PREMATURE, IMMATURE, AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
WHITE										
Total live births.....	1,583	334	222	563	97	46	161	39	112	9
Percent distribution.....	100.0	21.1	14.0	35.6	6.1	2.9	10.2	2.5	7.1	0.6
Out-of-wedlock births										
Number.....	308	110	56	50	25	11	18	11	22	5
Ratio per 1,000 live births..	194.6	329.3	252.3	88.8	257.7	239.1	111.8	282.1	196.4	555.6
Premature births ^{1/}										
Number.....	151	40	30	38	6	4	12	4	17	-
Percent of total births.....	9.5	12.0	13.5	6.7	6.2	8.7	7.5	10.3	15.2	-
Percent distribution.....	100.0	26.5	19.9	25.2	4.0	2.6	7.9	2.6	11.3	-
Immature births ^{2/}										
Number.....	97	27	21	25	3	3	8	3	7	-
Percent of total births.....	6.1	8.1	9.5	4.4	3.1	6.5	5.0	7.7	6.3	-
Percent distribution.....	100.0	27.8	21.6	25.8	3.1	3.1	8.2	3.1	7.2	-
Inadequate prenatal care ^{3/}										
Number.....	47	22	10	8	1	1	1	1	2	1
Percent of total births.....	3.0	6.6	4.5	1.4	1.0	2.2	0.6	2.6	1.8	11.1
Percent distribution.....	100.0	46.8	21.3	17.0	2.1	2.1	2.1	2.1	4.3	2.1

^{1/} Less than 37 weeks period of gestation.

^{2/} Birth weight of 2,500 grams or less.

^{3/} Prenatal care initiated in last trimester (28 weeks or more) or no prenatal care.

Table 14.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1981

Rank	Cause of Death	Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	6,846	3,656	3,190	4,928	2,768	2,160	1,918	888	1,030
01	Diseases of Heart (390-398,402,404-429).....	2,174	1,071	1,103	1,442	731	711	732	340	392
02	Cancer (including etc.)(140-208).....	1,608	900	708	1,156	692	464	452	208	244
03	Cerebrovascular Disease (430-438).....	390	155	235	253	116	137	137	39	98
04	Chronic Liver Disease and Cirrhosis (571).....	254	166	88	216	142	74	38	24	14
05	Accidents and Adverse Effects (800-949).....	238	161	77	193	139	54	45	22	23
06	Homicide and Legal Intervention (960-978).....	218	181	37	199	166	33	19	15	4
07	Atherosclerosis (440).....	169	63	106	110	42	68	59	21	38
08	Pneumonia and Influenza (480-487).....	168	105	63	104	72	32	64	33	31
09	Certain Perinatal Conditions (760-779).....	141	75	66	130	69	61	11	6	5
10	Chronic Obstructive Pulmonary Disease Etc.(490-496)..	140	88	52	75	46	29	65	42	23
11	Diabetes Mellitus (250).....	115	40	75	92	31	61	23	9	14
12	Septicemia (038).....	91	44	47	72	34	38	19	10	9
13	Nephritis, Nephrotic Syndrome & Nephrosis (580-589)..	79	44	35	65	37	28	14	7	7
14	Suicide (950-959).....	45	32	13	26	22	4	19	10	9
15	Congenital Anomalies (740-759).....	38	12	26	33	9	24	5	3	2
16	Hypertension with or without Renal Disease (401,403)..	34	14	20	26	10	16	8	4	4
17	Anemias (280-285).....	26	12	14	23	10	13	3	2	1
18	Ulcer of Stomach and Duodenum (531-533).....	24	15	9	15	10	5	9	5	4
19	Hernia of Abdominal Cavity & Intestinal Obstruction without mention of Hernia (550-553,560).....	18	8	10	12	4	8	6	4	2
20	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239).....	15	6	9	9	3	6	6	3	3
21	Residual.....	861	464	397	677	383	294	184	81	103

Table 15.--RESIDENT CRUDE DEATH RATES FOR 20 LEADING CAUSES, BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1981

Rank	Cause of Death	Rates Per 100,000 Population								
		Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes.....	1085.6	1252.9	941.6	1065.7	1298.3	866.8	1140.3	1129.8	1149.6
01	Diseases of Heart (390-398,402,404-429).....	344.8	367.0	325.6	311.9	342.9	285.3	435.2	432.6	437.5
02	Cancer (including etc.)(140-208).....	255.0	308.4	209.0	250.0	324.6	186.2	268.7	264.6	272.3
03	Cerebrovascular Disease (430-438).....	61.8	53.1	69.4	54.7	54.4	55.0	81.5	49.6	109.4
04	Chronic Liver Disease and Cirrhosis (571).....	40.3	56.9	26.0	46.7	66.6	29.7	22.6	30.5	15.6
05	Accidents and Adverse Effects (800-949).....	37.7	55.2	22.7	41.7	65.2	21.7	26.8	28.0	25.7
06	Homicide and Legal Intervention (960-978).....	34.6	62.0	10.9	43.0	77.9	13.2	11.3	19.1	4.5
07	Atherosclerosis (440).....	26.8	21.6	31.3	23.8	19.7	27.3	35.1	26.7	42.4
08	Pneumonia and Influenza (480-487).....	26.6	36.0	18.6	22.5	33.8	12.8	38.0	42.0	34.6
09	Certain Perinatal Conditions (760-779).....	22.4	25.7	19.5	28.1	32.4	24.5	6.5	7.6	5.6
10	Chronic Obstructive Pulmonary Disease Etc.(490-496)..	22.2	30.2	15.3	16.2	21.6	11.6	38.6	53.4	25.7
11	Diabetes Mellitus (250).....	18.2	13.7	22.1	19.9	14.5	24.5	13.7	11.5	15.6
12	Septicemia (038).....	14.4	15.1	13.9	15.6	15.9	15.2	11.3	12.7	10.0
13	Nephritis, Nephrotic Syndrome & Nephrosis (580-589)..	12.5	15.1	10.3	14.1	17.4	11.2	8.3	8.9	7.8
14	Suicide (950-959).....	7.1	11.0	3.8	5.6	10.3	1.6	11.3	12.7	10.0
15	Congenital Anomalies (740-759).....	6.0	4.1	7.7	7.1	4.2	9.6	3.0	3.8	2.2
16	Hypertension with or without Renal Disease (401,403).	5.4	4.8	5.9	5.6	4.7	6.4	4.8	5.1	4.5
17	Anemias (280-285).....	4.1	4.1	4.1	5.0	4.7	5.2	1.8	2.5	1.1
18	Ulcer of Stomach and Duodenum (531-533).....	3.8	5.1	2.7	3.2	4.7	2.0	5.4	6.4	4.5
19	Hernia of Abdominal Cavity & Intestinal Obstruction without mention of Hernia (550-553,560).....	2.9	2.7	3.0	2.6	1.9	3.2	3.6	5.1	2.2
20	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239).....	2.4	2.1	2.7	1.9	1.4	2.4	3.6	3.8	3.3
21	Residual.....	136.5	159.0	117.2	146.4	179.6	118.0	109.4	103.1	115.0

Table 16.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1981

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate ^{1/}			Number	Rate ^{1/}
	1-4 years				1-4 years		
	Total.....	12	96.2		Total.....	9	71.5
E800-E949	Accidents.....	5	40.1	740-759	Congenital Anomalies.....	3	23.8
E960-E978	Homicide.....	2	16.0	E800-E949	Accidents.....	2	15.9
140-208	Cancer, etc.....	1	8.0	E960-E978	Homicide.....	2	15.9
480-487	Pneumonia and Influenza.....	1	8.0	430-438	Cerebrovascular disease.....	1	7.9
Residual	All Other Causes.....	3	24.0	Residual	All Other Causes.....	1	7.9
	5-14 years				5-14 years		
	Total.....	17	46.3		Total.....	15	41.6
E800-E949	Accidents.....	7	19.1	E800-E949	Accidents.....	3	8.3
E960-E978	Homicide.....	3	8.2	140-208	Cancer (including etc.).....	2	5.5
140-208	Cancer (including etc.).....	1	2.7	280-285	Anemias.....	2	5.5
390-398,402,				390-398,402,			
404-429	Diseases of Heart.....	1	2.7	404-429	Diseases of Heart.....	2	5.5
250	Diabetes Mellitus.....	1	2.7	740-759	Congenital Anomalies.....	1	2.8
Residual	All Other Causes.....	4	10.9	E960-E978	Homicide.....	1	2.8
	15-24 years			Residual	All Other Causes.....	4	11.1
	Total.....	97	162.8		15-24 years		
E960-E978	Homicide.....	40	67.1		Total.....	31	47.3
E800-E949	Accidents.....	15	25.2	E800-E949	Accidents.....	11	16.8
E950-E959	Suicide.....	10	16.8	E960-E978	Homicide.....	6	9.1
140-208	Cancer (including etc.).....	7	11.7	140-208	Cancer, (including etc.).....	5	7.6
390-398,402,				390-398,402,			
404-429	Diseases of Heart.....	5	8.4	404-429	Diseases of Heart.....	3	4.6
070	Viral Hepatitis.....	3	5.0	740-759	Congenital Anomalies.....	1	1.5
Residual	All Other Causes.....	17	28.5	Residual	All Other Causes.....	5	7.6

Table 16.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1981-CONTINUED

ICD Code 9th Revision	Cause of death and Age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate ^{1/}			Number	Rate ^{1/}
	25-44 years				25-44 years		
	Total.....	452	476.3		Total.....	199	190.4
E960-E978	Homicide.....	93	98.0	140-208	Cancer (including etc.).....	42	40.2
E800-E949	Accidents.....	66	69.5	390-398,402, 404-429	Diseases of Heart.....	21	20.1
390-398,402, 404-429	Diseases of Heart.....	52	54.8	E800-E949	Accidents.....	20	19.1
140-208	Cancer, etc.....	44	46.4	E960-E978	Homicide.....	15	14.4
571	Chronic Liver Disease and Cirrhosis.....	40	42.1	571	Chronic Liver Disease and Cirrhosis.....	15	14.4
480-487	Pneumonia and Influenza.....	12	12.6	430-438	Cerebrovascular Disease.....	8	7.7
430-438	Cerebrovascular Disease.....	12	12.6	E950-E959	Suicide.....	7	6.7
E950-E959	Suicide.....	11	11.6	Residual	All Other Causes.....	71	67.9
Residual	All Other Causes.....	122	128.6				
	45-64 years				45-64 years		
	Total.....	1,169	2080.1		Total.....	702	1030.8
140-208	Cancer, (including etc.).....	358	637.0	140-208	Cancer (including etc.).....	233	342.1
390-398,402, 404-429	Diseases of Heart.....	350	622.8	390-398,402,404-429 571	Diseases of Heart.....	223	327.5
571	Chronic Liver Disease and Cirrhosis.....	99	176.2	430-438	Chronic Liver Disease and Cirrhosis.....	48	70.5
430-438	Cerebrovascular Disease.....	42	74.7	250	Cerebrovascular Disease.....	30	44.1
E960-E978	Homicide.....	37	65.8	490-496	Diabetes Mellitus.....	15	22.0
E800-E949	Accidents.....	33	58.7	E800-E949	Chronic Obstructive Pulmonary Disease.....	12	17.6
480-487	Pneumonia and Influenza.....	31	55.2	480-487	Accidents.....	11	16.2
Residual	All Other Causes.....	219	389.7	Residual	Pneumonia and Influenza.....	10	14.7
					All Other Causes.....	120	176.2

Tab'le 16.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1981-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate ^{1/}			Number	Rate ^{1/}
	65 years and over				65 years and over		
	Total.....	1,789	6601.5		Total.....	2,134	4502.1
390-398,402,404-429	Diseases Of Heart.....	660	2435.4	390-398,402,404-429	Diseases of Heart.....	853	1799.6
140-208	Cancer (including etc.).....	489	1804.4	140-208	Cancer (including etc.).....	425	898.7
430-438	Cerebrovascular Disease.....	101	372.7	430-438	Cerebrovascular Disease.....	196	413.5
490-496	Chronic Obstructive Pulmonary Disease.....	70	258.3	440	Atherosclerosis.....	100	211.0
480-487	Pneumonia and Influenza.....	59	217.7	250	Diabetes Mellitus.....	59	124.5
440	Atherosclerosis.....	54	199.3	480-487	Pneumonia and Influenza.....	49	103.4
038	Septicemia.....	32	118.1	490-496	Chronic Obstructive Pulmonary Disease.....	39	82.3
Residual	All Other Causes.....	324	1195.6	038	Septicemia.....	37	78.1
				Residual	All Other Causes.....	375	791.1

^{1/}
Rates per 100,000 population in specified group.

Table 17.--NUMBER OF RESIDENT DEATHS AND CRUDE AND AGE-ADJUSTED DEATH RATES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
NUMBER									
TOTAL	6,846	3,656	3,190	4,928	2,768	2,160	1,918	888	1,030
Under 5.....	232	126	106	216	117	99	16	9	7
5-14.....	32	17	15	30	17	13	2	-	2
15-24.....	128	97	31	113	88	25	15	9	6
25-34.....	306	214	92	281	199	82	25	15	10
35-44.....	345	238	107	318	223	95	27	15	12
45-54.....	653	423	230	573	366	207	80	57	23
55-64.....	1,218	746	472	974	601	373	244	145	99
65 and over.....	3,923	1,789	2,134	2,418	1,153	1,265	1,505	636	869
Not stated.....	9	6	3	5	4	1	4	2	2
RATES									
AGE-ADJUSTED ^{1/}	825.2	1090.1	624.0	909.2	1225.0	667.5	596.2	753.7	489.7
CRUDE ^{2/}	1085.6	1252.9	941.6	1065.7	1298.3	866.8	1140.3	1129.8	1149.6
Under 5.....	674.4	728.3	619.9	720.0	774.8	664.4	363.6	409.1	318.2
5-14.....	44.0	46.3	41.6	46.4	52.3	40.4	24.7	-	51.3
15-24.....	102.2	162.8	47.3	119.3	195.1	50.4	49.2	62.1	37.5
25-34.....	242.1	357.3	138.3	336.5	515.5	182.6	58.3	70.4	46.3
35-44.....	472.6	680.0	281.6	612.7	940.9	336.9	128.0	132.7	122.4
45-54.....	1065.3	1484.2	701.2	1227.0	1751.2	802.3	547.9	750.0	328.6
55-64.....	1933.3	2693.1	1337.1	2117.4	2990.0	1440.2	1435.3	1907.9	1053.2
65 and over.....	5265.8	6601.5	4502.1	5385.3	6703.5	4566.8	5084.5	6424.2	4411.2

^{1/}Based on age-specific death rates by 5 year age groups per 100,000 population in specified group. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940.

^{2/}Rates per 100,000 population.

Table 19.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY WARD:
DISTRICT OF COLUMBIA, 1981

Rank	Cause of Death	Total									
		Total	Wards								Unknown
			1	2	3	4	5	6	7	8	
	Total All Causes.....	6,846	910	866	918	977	1,024	806	762	564	19
01	Diseases of Heart (390-398,402,404-429).....	2,174	288	254	351	325	320	250	238	141	7
02	Cancer (including etc.)(140-208).....	1,608	197	193	233	249	248	186	179	120	3
03	Cerebrovascular Disease (430-438).....	390	46	53	74	50	61	39	42	25	-
04	Chronic Liver Disease and Cirrhosis (571).....	254	42	40	14	28	51	32	25	22	-
05	Accidents and Adverse Effects (800-949).....	238	39	35	24	22	30	30	30	28	-
06	Homicide and Legal Intervention (960-978).....	218	40	29	4	21	27	36	28	33	-
07	Atherosclerosis (440).....	169	21	26	31	25	29	19	12	6	-
08	Pneumonia and Influenza (480-487).....	168	25	16	26	23	26	21	15	14	2
09	Certain Perinatal Conditions (760-779).....	141	22	13	3	17	19	17	25	25	-
10	Chronic Obstructive Pulmonary Disease Etc.(490-496)..	140	15	15	31	29	17	11	9	13	-
11	Diabetes Mellitus (250).....	115	10	10	13	17	22	15	11	16	1
12	Septicemia (038).....	91	8	16	10	12	8	12	15	9	1
13	Nephritis, Nephrotic Syndrome & Nephrosis (580-589)..	79	14	9	7	11	7	11	10	10	-
14	Suicide (950-959).....	45	5	6	8	6	4	4	7	5	-
15	Congenital Anomalies (740-759).....	38	4	5	1	4	8	6	6	4	-
16	Hypertension with or without Renal Disease (401,403)..	34	6	8	4	2	4	4	4	2	-
17	Anemias (280-285).....	26	3	4	2	4	3	3	5	2	-
18	Ulcer of Stomach and Duodenum (531-533).....	24	1	5	6	4	3	3	1	1	-
19	Hernia of Abdominal Cavity & Intestinal Obstruction without mention of. Hernia (550-553,560).....	18	2	2	4	4	2	1	2	1	-
20	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239).....	15	1	-	3	3	4	1	2	1	-
21	Residual.....	861	121	127	69	121	131	105	96	86	5

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981

Cause of Death, Code, Race and Sex	Total	Under 1 yrs.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Total All Causes																					
Total.....	6,846	211	21	15	17	31	97	146	160	157	188	288	365	537	681	767	742	739	737	938	9
Black Male.....	2,768	105	12	9	8	19	69	92	107	103	120	177	189	255	346	324	290	227	170	142	4
Female.....	2,160	91	8	5	8	8	17	39	43	44	51	80	127	192	181	249	265	226	224	301	1
White Male.....	888	9	-	-	-	2	7	9	6	4	11	22	35	52	93	95	105	142	145	149	2
Female.....	1,030	6	1	1	1	2	4	6	4	6	6	9	14	38	61	99	82	144	198	346	2
01 Shigellosis and Amebiasis 004,006																					
Total.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Black Male.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
02 Certain Other Intestinal Infections 007-009																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis 010-018																					
Total.....	10	-	-	-	-	-	-	-	-	-	3	1	-	-	-	3	1	1	1	-	-
Black Male.....	8	-	-	-	-	-	-	-	-	-	2	1	-	-	-	3	-	1	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
03 Tuberculosis of Respiratory System 010-012																					
Total.....	9	-	-	-	-	-	-	-	-	-	3	1	-	-	-	3	-	1	1	-	-
Black Male.....	8	-	-	-	-	-	-	-	-	-	2	1	-	-	-	3	-	1	1	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
04 Other Tubercu- losis 013-018																					
Total.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 Whooping Cough 033																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
06 Streptococcal Sore Throat, Scarlatina and Erysipelas 034,035																					

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
07 Meningococcal Infection 036	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total.....	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
08 Septicemia 038	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total.....	91	1	-	-	-	-	-	-	1	1	-	3	3	5	8	11	9	18	11	20	-
Black Male.....	34	1	-	-	-	-	-	-	1	1	-	3	3	5	8	11	9	18	11	20	-
Female.....	38	-	-	-	-	-	-	-	-	-	-	3	3	2	4	6	4	8	-	5	-
White Male.....	10	-	-	-	-	-	-	-	-	-	-	3	3	2	4	6	4	8	-	9	-
Female.....	9	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	1	4	-
09 Acute Poliomyelitis 045	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Measles 055	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 Viral Hepatitis 070																					
Total.....	11	-	-	-	-	-	3	-	-	2	-	1	-	-	-	1	-	3	-	1	-
Black Male.....	6	-	-	-	-	-	3	-	-	1	-	1	-	-	-	1	-	-	-	-	-
Female.....	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
12 Syphilis 090-097																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 All Other Infec- tious and Para- sitic Diseases 001-003,005,020- 032,037,039-041, 046-054,056-066, 071-088,098-139																					
Total.....	15	-	-	-	-	-	1	1	1	-	1	3	-	2	1	-	-	-	2	3	-
Black Male.....	7	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-	-	-	-	2	-
Female.....	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Cancer (including etc.) 140-208																					
Total.....	1,608	-	1	2	1	6	6	7	15	25	39	85	106	175	225	251	226	166	145	127	-
Black Male.....	692	-	1	1	-	3	4	2	6	14	18	50	48	74	126	115	99	58	42	31	-
Female.....	464	-	-	-	-	3	2	5	7	9	16	29	42	65	45	68	73	35	32	33	-
White Male.....	208	-	-	-	-	-	-	-	1	-	3	2	12	16	30	25	29	34	30	26	-
Female.....	244	-	-	1	1	-	-	-	1	2	2	4	4	20	24	43	25	39	41	37	-
14 Malignant Neoplasm of Lip, Oral Cavity and and Pharynx 140-149																					
Total.....	69	-	-	-	-	-	-	1	-	1	4	12	8	13	13	2	4	6	2	3	-
Black Male.....	45	-	-	-	-	-	-	1	-	1	3	9	6	7	9	1	2	3	1	2	-
Female.....	13	-	-	-	-	-	-	-	-	-	1	3	2	1	3	-	1	1	-	1	-
White Male.....	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	1	-	-	-
15 Malignant Neoplasm of Digestive Organs and Peritoneum 150-159																					
Total.....	467	-	-	-	-	-	-	1	4	6	5	18	28	44	60	65	90	61	44	41	-
Black Male.....	204	-	-	-	-	-	-	1	3	5	3	11	17	18	42	30	34	21	11	8	-
Female.....	141	-	-	-	-	-	-	-	1	1	1	6	8	19	9	21	35	15	9	16	-
White Male.....	60	-	-	-	-	-	-	-	-	-	1	1	3	4	6	5	11	13	10	6	-
Female.....	62	-	-	-	-	-	-	-	-	-	-	-	-	3	3	9	10	12	14	11	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
16 Malignant Neo- plasm of Respira- tory and Intra- thoracic Organs 160-165																					
Total.....	394	-	-	-	-	-	-	-	1	3	10	24	27	64	78	76	49	30	20	12	-
Black Male.....	221	-	-	-	-	-	-	-	1	3	8	17	14	35	52	44	27	10	7	3	-
Female.....	77	-	-	-	-	-	-	-	-	-	1	5	10	16	6	19	12	4	3	1	-
White Male.....	59	-	-	-	-	-	-	-	-	-	1	-	2	9	11	5	7	10	7	7	-
Female.....	37	-	-	-	-	-	-	-	-	-	-	2	1	4	9	8	3	6	3	1	-
17 Malignant Neo- plasm of Breast 174,175																					
Total.....	132	-	-	-	-	1	-	1	4	3	10	4	11	16	13	21	14	14	11	9	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	80	-	-	-	-	1	-	1	4	3	8	4	11	11	8	8	9	4	4	4	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	51	-	-	-	-	-	-	-	-	-	2	-	-	4	5	13	5	10	7	5	-
18 Malignant Neo- plasm of Genital Organs 179-187																					
Total.....	182	-	-	-	-	-	-	1	1	3	1	5	7	8	19	30	31	27	27	22	-
Black Male.....	86	-	-	-	-	-	-	-	-	-	-	1	-	2	3	17	21	15	16	11	-
Female.....	48	-	-	-	-	-	-	1	1	2	1	4	5	4	10	7	3	5	3	2	-
White Male.....	21	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	4	3	3	5	-
Female.....	27	-	-	-	-	-	-	-	-	1	-	-	1	2	3	4	3	4	5	4	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
19 Malignant Neo- plasm of Urinary Organs 188,189																					
Total.....	62	-	-	-	-	-	1	-	-	-	-	4	4	3	8	9	12	5	10	6	-
Black Male.....	25	-	-	-	-	-	1	-	-	-	-	2	2	2	5	3	6	2	1	1	-
Female.....	16	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	3	3	2	1	-
White Male.....	13	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	5	2	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	2	-
20 Malignant Neo- plasm of All Other and Unspecified Sites 170-173,190-199																					
Total.....	182	-	-	1	-	2	3	1	3	3	3	11	19	22	19	32	16	11	18	18	-
Black Male.....	69	-	-	-	-	1	1	-	2	2	2	7	8	9	10	11	5	1	4	6	-
Female.....	54	-	-	-	-	1	2	1	1	1	1	2	5	11	3	7	6	2	7	4	-
White Male.....	30	-	-	-	-	-	-	-	-	-	-	-	4	-	6	9	3	4	2	2	-
Female.....	29	-	-	1	-	-	-	-	-	-	-	2	2	2	-	5	2	4	5	6	-
21 Leukemia 204-208																					
Total.....	46	-	1	1	-	1	2	2	1	4	-	4	1	1	5	5	3	1	5	9	-
Black Male.....	16	-	1	1	-	1	2	-	-	1	-	2	1	-	2	3	2	-	-	-	-
Female.....	11	-	-	-	-	-	-	2	-	2	-	1	-	-	1	1	1	-	1	2	-
White Male.....	9	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	2	2	-
Female.....	10	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	2	5	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
22 Other Malignant Neoplasm of Lymphatic and Hematopoietic Tissue 200-203																					
Total.....	74	-	-	-	1	2	-	-	1	2	6	3	1	4	10	11	7	11	8	7	-
Black Male.....	26	-	-	-	-	1	-	-	-	2	2	1	-	1	3	6	2	6	2	-	-
Female.....	24	-	-	-	-	1	-	-	-	-	3	2	1	2	4	2	3	1	3	2	-
White Male.....	10	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	2	-	2	-
Female.....	14	-	-	-	1	-	-	-	1	-	-	-	-	1	1	1	1	2	3	3	-
23 Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec 210-239																					
Total.....	15	-	-	-	-	-	-	-	2	-	-	1	-	2	-	1	4	1	2	2	-
Black Male.....	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	1	-	-	-
White Male.....	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-
Female.....	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-
24 Diabetes Mellitus 250																					
Total.....	115	-	-	-	1	-	-	2	1	1	1	6	3	8	9	18	18	16	13	18	-
Black Male.....	31	-	-	-	1	-	-	2	-	1	1	3	1	2	1	4	5	5	4	1	-
Female.....	61	-	-	-	-	-	-	-	1	-	-	3	1	5	5	11	10	7	5	13	-
White Male.....	9	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	1	-	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	3	4	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
25 Nutritional Deficiencies 260-269																					
Total.....	14	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	1	2	2	3	-
Black Male.....	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-
White Male.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-
26 Anemias 280-285																					
Total.....	26	-	-	1	1	-	-	1	3	1	1	-	3	1	1	1	1	5	1	5	-
Black Male.....	10	-	-	-	-	-	-	1	3	1	-	-	1	-	1	-	-	2	1	-	-
Female.....	13	-	-	1	1	-	-	-	-	-	1	-	2	1	-	1	1	3	-	2	-
White Male.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
27 Meningitis 320-322																					
Total.....	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-
Black Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Major Cardio- vascular Diseases 390-448																					
Total.....	2,817	-	1	2	1	1	7	9	18	30	39	78	134	195	273	326	354	374	416	555	4
Black Male.....	915	-	-	1	-	1	3	5	10	16	27	45	63	94	130	123	140	98	85	72	2
Female.....	950	-	-	1	1	-	2	4	6	10	6	22	51	72	85	123	131	121	135	180	-
White Male.....	414	-	-	-	-	-	1	-	2	2	4	11	13	19	38	44	48	77	76	78	1
Female.....	538	-	1	-	-	-	1	-	-	2	2	-	7	10	20	36	35	78	120	225	1

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Diseases of Heart 390-398,402,404- 429																					
Total.....	2,174	-	-	2	1	1	7	7	15	21	30	64	113	166	230	263	283	294	284	389	4
Black Male.....	731	-	-	1	-	1	3	4	9	11	20	35	54	83	106	95	114	76	59	58	2
Female.....	711	-	-	1	1	-	2	3	4	8	5	19	42	56	73	101	99	90	87	120	-
White Male.....	340	-	-	-	-	-	1	-	2	2	4	10	12	17	33	40	40	68	53	57	1
Female.....	392	-	-	-	-	-	1	-	-	-	1	-	5	10	18	27	30	60	85	154	1
28 Rheumatic Fever and Rheumatic Heart Disease 390-398																					
Total.....	17	-	-	-	-	-	-	1	-	1	-	1	4	1	2	1	2	1	3	-	-
Black Male.....	5	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-	-
Female.....	7	-	-	-	-	-	-	1	-	-	-	-	4	-	-	-	1	-	1	-	-
White Male.....	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-
29 Hypertensive Heart Disease 402																					
Total.....	197	-	-	-	-	-	-	-	1	3	8	11	25	24	25	31	20	20	11	18	-
Black Male.....	84	-	-	-	-	-	-	-	1	1	5	6	11	14	13	11	8	8	2	4	-
Female.....	88	-	-	-	-	-	-	-	-	2	3	4	14	8	8	15	10	9	6	9	-
White Male.....	13	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	-	2	-	3	-
Female.....	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	3	2	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
30 Hypertensive Heart and Renal Disease 404																					
Total.....	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	6	-
Black Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Ischemic Heart Disease 410-414																					
Total.....	1,321	-	-	-	-	-	1	2	6	8	9	32	52	98	154	168	187	193	174	235	2
Black Male.....	438	-	-	-	-	-	-	2	5	5	6	13	26	45	71	64	76	48	37	39	1
Female.....	387	-	-	-	-	-	1	-	-	1	-	12	15	32	46	59	57	57	45	62	-
White Male.....	235	-	-	-	-	-	-	-	1	2	3	7	9	12	25	25	32	47	38	33	1
Female.....	261	-	-	-	-	-	-	-	-	-	-	-	2	9	12	20	22	41	54	101	-
31 Acute Myocardial Infarction 410																					
Total.....	461	-	-	-	-	-	1	2	3	4	4	12	18	29	48	52	74	73	73	68	-
Black Male.....	127	-	-	-	-	-	-	2	2	2	3	4	13	11	14	21	20	13	11	11	-
Female.....	116	-	-	-	-	-	1	-	-	1	-	3	2	11	16	15	19	14	19	15	-
White Male.....	112	-	-	-	-	-	-	-	1	1	1	5	3	4	15	7	21	24	14	16	-
Female.....	106	-	-	-	-	-	-	-	-	-	-	-	-	3	3	9	14	22	29	26	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
32 Other Acute and Subacute Forms of Ischemic Heart Disease 411																					
Total.....	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	-
Black Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
White Male.....	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
33 Angina Pectoris 413																					
Total.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Black Male.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34 Old Myocardial Infarction and Other Forms of Chronic Ischemic Heart Disease 412,414																					
Total.....	852	-	-	-	-	-	-	-	3	4	5	20	33	68	106	114	111	119	101	166	2
Black Male.....	309	-	-	-	-	-	-	-	3	3	3	9	12	34	57	43	55	35	26	28	1
Female.....	270	-	-	-	-	-	-	-	-	-	-	9	13	21	30	44	37	43	26	47	-
White Male.....	120	-	-	-	-	-	-	-	1	2	2	6	7	10	16	11	23	24	17	1	1
Female.....	153	-	-	-	-	-	-	-	-	-	-	-	2	6	9	11	8	18	25	74	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
35 Other Diseases of Endocardium 424																					
Total.....	20	-	-	-	-	-	-	-	-	1	-	1	2	2	1	4	1	3	3	2	-
Black Male.....	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	-	-
White Male.....	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-
36 All Other Forms of Heart Disease 415-423, 425-429																					
Total.....	606	-	-	2	1	1	6	4	8	8	13	19	30	40	48	58	72	74	92	128	2
Black Male.....	197	-	-	1	-	1	3	2	3	4	9	14	17	23	20	17	29	20	19	14	1
Female.....	216	-	-	1	1	-	1	2	4	4	2	3	8	14	19	25	30	22	33	47	-
White Male.....	86	-	-	-	-	-	1	-	1	-	1	2	2	3	5	10	8	18	14	21	-
Female.....	107	-	-	-	-	-	1	-	-	-	1	-	3	-	4	6	5	14	26	46	1
37 Hypertension With or Without Renal Disease 401, 403																					
Total.....	34	-	-	-	-	-	-	1	-	-	-	2	1	4	4	4	5	4	5	4	-
Black Male.....	10	-	-	-	-	-	-	1	-	-	-	1	-	-	3	1	2	1	1	-	-
Female.....	16	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	2	2	2	-
White Male.....	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Cerebrovascular Disease 430-438																					
Total.....	390	-	1	-	-	-	-	1	2	9	8	11	15	21	25	41	51	44	69	92	-
Black Male.....	116	-	-	-	-	-	-	-	1	5	6	9	5	9	15	19	19	9	9	10	-
Female.....	137	-	-	-	-	-	-	1	1	2	1	2	7	11	6	15	23	18	24	26	-
White Male.....	39	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	4	13	11	-
Female.....	98	-	1	-	-	-	-	-	-	2	1	-	2	-	2	5	4	13	23	45	-
38 Intracerebral and other Intracran- ial Hemorrhage 431,432																					
Total.....	67	-	-	-	-	-	-	-	-	2	6	4	9	6	9	4	6	5	9	7	-
Black Male.....	30	-	-	-	-	-	-	-	-	1	5	4	4	3	7	2	1	1	2	-	-
Female.....	18	-	-	-	-	-	-	-	-	1	-	-	4	3	1	1	3	2	2	1	-
White Male.....	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	-
Female.....	13	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	4	4	-
39 Cerebral Throm- bosis and Un- specified Occlu- sion of Cerebral Arteries 434.0,434.9																					
Total.....	83	-	-	-	-	-	-	-	1	1	-	2	-	3	4	9	11	12	18	22	-
Black Male.....	23	-	-	-	-	-	-	-	1	1	-	1	-	1	1	4	6	4	3	1	-
Female.....	31	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	3	4	6	8	-
White Male.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	-
Female.....	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	12	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
40 Cerebral Embolism 434.1																					
Total.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 Ail Other & Late Effects of Cere- brovascular Disease 430,433,435-438																					
Total.....	239	-	1	-	-	-	-	1	1	6	2	5	6	12	12	27	34	27	42	63	-
Black Male.....	63	-	-	-	-	-	-	-	-	3	1	4	1	5	7	13	12	4	4	9	-
Female.....	87	-	-	-	-	-	-	1	1	1	1	1	3	6	2	9	17	12	16	17	-
White Male.....	26	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	8	8	-
Female.....	63	-	1	-	-	-	-	-	-	2	-	-	2	-	1	4	2	8	14	29	-
42 Atherosclerosis 440																					
Total.....	169	-	-	-	-	-	-	-	-	-	-	1	4	1	9	9	11	26	51	57	-
Black Male.....	42	-	-	-	-	-	-	-	-	-	-	-	3	1	2	4	3	11	14	4	-
Female.....	68	-	-	-	-	-	-	-	-	-	-	1	1	-	4	3	5	10	17	27	-
White Male.....	21	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	9	5	-
Female.....	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	11	21	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981--CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
43 Other Diseases of Arteries, Ar- terioles and Capillaries 441-448																					
Total.....	50	-	-	-	-	-	-	-	1	-	1	-	1	3	5	9	4	6	7	13	-
Black Male.....	16	-	-	-	-	-	-	-	-	-	1	-	1	1	4	4	2	1	2	-	-
Female.....	18	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	1	5	5	-
White Male.....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	5	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3	-
44 Acute Bronchitis and Bronchiolitis 466																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and Influenza 480-487																					
Total.....	168	2	1	-	-	-	-	3	5	5	3	9	7	7	18	13	11	12	26	46	-
Black Male.....	72	2	1	-	-	-	-	2	3	5	2	7	5	5	10	6	3	6	7	8	-
Female.....	32	-	-	-	-	-	-	1	2	-	1	2	2	2	3	2	4	2	4	7	-
White Male.....	33	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	2	10	12	-
Female.....	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	5	19	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
45 Pneumonia 480-486																					
Total.....	165	2	1	-	-	-	-	3	5	5	3	9	7	7	18	12	10	12	26	45	-
Black Male.....	71	2	1	-	-	-	-	2	3	5	2	7	5	5	10	6	2	6	7	8	-
Female.....	32	-	-	-	-	-	-	1	2	-	1	2	2	2	3	2	4	2	4	7	-
White Male.....	33	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	2	10	12	-
Female.....	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	5	18	-
46 Influenza 487																					
Total.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Black Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Chronic Obstruc- tive Pulmonary Disease etc. 490-496																					
Total.....	140	-	-	-	1	-	1	1	1	-	1	1	3	7	15	27	19	31	12	20	-
Black Male.....	46	-	-	-	1	-	1	-	1	-	1	-	2	3	5	13	5	8	2	4	-
Female.....	29	-	-	-	-	-	-	1	-	-	-	1	1	3	3	5	4	6	2	3	-
White Male.....	42	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	8	11	5	8	-
Female.....	23	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	6	3	5	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
47 Bronchitis, Chronic and Un- Specified 490,491																					
Total.....	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	2	-
Black Male.....	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
48 Emphysema 492																					
Total.....	27	-	-	-	-	-	-	-	-	-	-	-	-	-	4	11	2	7	-	3	-
Black Male.....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-	2	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	-	-	-
White Male.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	-
49 Asthma 493																					
Total.....	12	-	-	-	1	-	1	1	1	-	-	1	1	1	2	2	-	-	1	-	-
Black Male.....	5	-	-	-	1	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	1	-	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
50 Other Chronic Obstructive Pul- monary Disease and Allied Con- ditions 494-496																					
Total.....	95	-	-	-	-	-	-	-	-	-	1	-	1	6	9	13	17	22	11	15	-
Black Male.....	30	-	-	-	-	-	-	-	-	-	1	-	1	2	3	7	5	5	2	4	-
Female.....	15	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	3	1	2	-
White Male.....	36	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	8	10	5	7	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	4	3	2	-
51 Ulcer of Stomach and Duodenum 531-533																					
Total.....	24	-	-	-	-	-	-	-	-	1	-	-	1	1	6	1	3	2	3	6	-
Black Male.....	10	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	2	1	1	1	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-
White Male.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-
52 Appendicitis 540-543																					
Total.....	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Black Male.....	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
53 Hernia of Abdomi- nal Cavity and Intestinal Ob- struction without mention of Hernia 550-553,560																					
Total.....	18	-	-	-	-	-	-	-	-	1	-	1	1	-	1	4	2	1	4	3	-
Black Male.....	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1	2	-	-
White Male.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
54 Chronic Liver Disease and Cirrhosis 571																					
Total.....	254	-	-	-	-	-	-	5	7	16	27	28	43	40	36	23	18	6	4	1	-
Black Male.....	142	-	-	-	-	-	-	2	5	11	20	17	30	22	15	11	6	1	2	-	-
Female.....	74	-	-	-	-	-	-	3	1	5	6	9	9	12	12	9	4	2	2	-	-
White Male.....	24	-	-	-	-	-	-	-	1	-	1	-	4	5	6	2	3	1	-	1	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	2	-	1	3	1	5	2	-	-	-
55 Cholelithiasis and other disorders of Gallbladder 574,575																					
Total.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	1	-
Black Male.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Female.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
White Male.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Nephritis, Nephrotic Syndrome and Nephrosis 580-589																					
Total.....	79	1	-	-	-	-	-	2	-	3	-	2	2	6	9	14	16	9	6	9	-
Black Male.....	37	-	-	-	-	-	-	1	-	1	-	1	1	3	7	8	4	6	2	3	-
Female.....	28	1	-	-	-	-	-	1	-	2	-	1	1	2	1	3	7	1	4	4	-
White Male.....	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	2	-
56 Acute Glomeruloneph- ritis and Nephrotic Syndrome 580,581																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57 Chron Glom- eruloneph, Neph and Nephropathy, Nos, and Renal Sclerosis, un- spec. 582,583,587																					
Total.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981--CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
58 Renal Fail, dis- orders from im- paired Renal FCN and small kidney of unknown cause 584-586,588,589																					
Total.....	77	1	-	-	-	-	-	2	-	3	-	2	2	6	9	14	15	9	6	8	-
Black Male.....	37	-	-	-	-	-	-	1	-	1	-	1	1	3	7	8	4	6	2	3	-
Female.....	28	1	-	-	-	-	-	1	-	2	-	1	1	2	1	3	7	1	4	4	-
White Male.....	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-
59 Infections of Kidney 590																					
Total.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
60 Hyperplasia of Prostate 600																					
Total.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of Pregnancy, Child- birth, and the Puerperium 630-676																					

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Total.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 Pregnancy with Abortive Outcome 630-638																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62 Other Complica- tions of Preg- nancy, Childbirth & the Puerperium 640-676																					
Total.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63 Congenital Anomalies 740-759																					
Total.....	38	29	3	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Black Male.....	9	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	24	18	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Certain Peri- natal Conditions 760-779																					
Total.....	141	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Black Male.....	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	61	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
White Male.....	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64 Birth Trauma, Intrauterine Hypoxia, Birth Asphyxia and Rds 767-769																					
Total.....	33	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Black Male.....	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	16	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
White Male.....	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 Other Conditions Originating in the Perinatal Period 760-766,770-779																					
Total.....	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
66 Symptoms, Signs and Ill-Defined Conditions 780-799																					
Total.....	60	23	-	1	-	-	-	8	3	2	4	2	3	4	2	2	-	2	-	4	-
Black Male.....	34	16	-	1	-	-	-	3	2	2	3	1	2	1	2	1	-	-	-	-	-
Female.....	17	7	-	-	-	-	-	3	1	-	1	-	-	2	-	-	-	1	-	2	-
White Male.....	7	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1	-	2	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
67 All Other Diseases Residual																					
Total.....	615	6	3	-	5	2	9	19	29	22	31	30	28	50	54	52	44	73	64	93	1
Black Male.....	256	4	2	-	1	1	5	11	20	14	17	19	17	28	24	21	16	28	16	12	-
Female.....	230	2	1	-	4	1	4	7	9	6	14	9	9	17	20	14	18	28	26	41	-
White Male.....	51	-	-	-	-	-	-	-	-	1	-	1	-	3	5	10	5	10	8	7	1
Female.....	78	-	-	-	-	-	-	1	-	1	-	1	2	2	5	7	5	7	14	33	-
Accidents and Adverse Effects 800-949																					
Total.....	238	5	7	4	6	8	18	32	26	15	13	11	10	13	10	13	8	9	14	16	-
Black Male.....	139	4	5	3	4	4	9	21	19	10	10	8	8	5	9	8	3	2	5	2	-
Female.....	54	1	2	1	2	2	4	6	7	4	2	-	2	5	1	4	2	3	3	3	-
White Male.....	22	-	-	-	-	-	2	4	-	1	1	2	-	1	-	-	3	3	1	4	-
Female.....	23	-	-	-	-	2	3	1	-	-	-	1	-	2	-	1	-	1	5	7	-

Table 18.—DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
68 Motor Vehicle Accidents 810-825																					
Total.....	69	-	2	1	3	6	12	11	6	2	6	5	3	3	3	2	-	3	1	-	-
Black Male.....	45	-	-	1	2	4	8	5	6	-	4	5	3	1	3	1	-	1	1	-	-
Female.....	12	-	2	-	1	-	2	2	-	2	1	-	-	1	-	-	-	1	-	-	-
White Male.....	6	-	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	1	-	-	-
Female.....	6	-	-	-	-	2	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-
69 All Other Accidents and Adverse Effects 800-807,826-949																					
Total.....	169	5	5	3	3	2	6	21	20	13	7	6	7	10	7	11	8	6	13	16	-
Black Male.....	94	4	5	2	2	-	1	16	13	10	6	3	5	4	6	7	3	1	4	2	-
Female.....	42	1	-	1	1	2	2	4	7	2	1	-	2	4	1	4	2	2	3	3	-
White Male.....	16	-	-	-	-	-	1	1	-	1	-	2	-	1	-	-	3	2	1	4	-
Female.....	17	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	1	5	7	-
70 Suicide 950-959																					
Total.....	45	-	-	-	-	1	9	7	5	3	3	5	3	1	2	2	2	-	2	-	-
Black Male.....	22	-	-	-	-	-	7	3	3	1	1	3	1	-	2	-	1	-	-	-	-
Female.....	4	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
White Male.....	10	-	-	-	-	1	2	2	1	-	-	1	1	1	-	-	-	-	1	-	-
Female.....	9	-	-	-	-	-	-	1	1	1	1	-	1	-	-	2	1	-	1	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
71 Homicide and Legal Interventions 960-978																					
Total.....	218	2	4	3	1	10	36	36	32	24	16	14	8	14	6	2	3	4	2	1	-
Black Male.....	166	-	2	2	1	8	31	32	26	18	12	9	4	11	5	2	1	2	-	-	-
Female.....	33	2	2	1	-	2	4	2	5	6	2	2	1	1	1	-	-	1	-	1	-
White Male.....	15	-	-	-	-	-	1	2	1	-	2	3	3	2	-	-	-	-	1	-	-
Female.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
72 All Other External Causes 980-999																					
Total.....	62	1	1	1	-	2	5	11	11	5	4	5	5	3	2	-	1	1	1	2	1
Black Male.....	44	1	1	1	-	1	4	7	9	5	3	4	4	1	1	-	-	-	1	-	1
Female.....	8	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	1	1	-	-	-
White Male.....	4	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Female.....	6	-	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-	1	-

Table 20.--INFANT DEATHS AND DEATH RATES BY AGE AND RACE, AND FETAL DEATHS BY RACE:
DISTRICT OF COLUMBIA, 1975-1981 AND AVERAGES, 1950-1979

Year	Infant deaths									Fetal deaths		
	Total			Less than 28 days			Less than 7 days					
	Total	Black	White	Total	Black	White	Total	Black	White	Total	Black	White
NUMBER												
1981.....	211	196	15	162	147	15	146	133	13	123	115	8
1980.....	228	210	18	168	156	12	149	138	11	126	103	23
1979.....	207	199	8	159	152	7	140	134	6	112	100	12
1978.....	242	229	13	179	168	11	164	154	10	137	125	12
1977.....	270	251	19	203	189	14	172	159	13	160	152	8
1976.....	240	230	10	193	188	5	175	170	5	169	154	15
1975.....	279	254	25	220	198	22	194	174	20	149	138	11
ANNUAL AVERAGE												
1975-1979.....	248	233	15	191	179	12	169	158	11	146	134	12
1970-1974.....	341	311	30	258	234	24	230	210	20	215	188	27
1965-1969.....	511	451	60	387	339	48	357	312	45	314	276	38
1960-1964.....	684	542	142	513	402	111	470	370	100	370	295	75
1955-1959.....	678	498	180	520	374	146	473	340	133	355	258	97
1950-1954.....	628	337	291	499	255	244	444	225	219	398	237	161
RATE PER 1,000 LIVE BIRTHS												
1981.....	22.6	25.3	9.5	17.4	19.0	9.5	15.6	17.2	8.2	13.2	14.8	5.1
1980.....	24.6	26.6	13.1	18.1	19.8	8.7	16.1	17.5	8.0	13.6	13.1	16.8
1979.....	22.0	24.7	5.9	16.9	18.9	5.2	14.9	16.6	4.4	11.9	12.4	8.9
1978.....	25.8	28.6	9.5	19.1	21.0	8.0	17.5	19.2	7.3	14.6	15.6	8.8
1977.....	27.3	29.5	13.9	20.5	22.2	10.2	17.4	18.7	9.5	16.2	17.9	5.8
1976.....	24.9	27.7	7.5	20.0	22.7	3.7	18.2	20.5	3.7	17.5	18.6	11.2
1975.....	28.6	30.0	19.5	22.6	23.4	17.1	19.9	20.6	15.6	15.3	16.3	8.6
ANNUAL AVERAGE												
1975-1979.....	25.8	28.2	11.2	19.9	21.7	8.9	17.6	19.1	8.2	15.2	16.2	8.9
1970-1974.....	27.7	28.9	19.4	20.9	21.7	15.5	18.7	19.5	12.9	17.4	17.4	17.4
1965-1969.....	32.3	34.3	22.7	24.5	25.8	18.1	22.6	23.7	17.0	19.9	21.0	14.4
1960-1964.....	34.6	38.1	25.3	26.0	28.3	20.0	23.8	26.0	18.0	18.7	20.7	13.5
1955-1959.....	34.3	39.6	25.1	26.3	29.7	20.4	24.0	27.0	18.6	18.0	20.5	13.6
1950-1954.....	30.6	34.3	27.2	24.3	26.0	22.8	21.6	22.9	20.5	19.4	24.1	15.0

Table 21.--RESIDENT INFANT DEATHS AND DEATH RATES BY AGE: DISTRICT OF COLUMBIA, 1960-1981

Year	Number						Rate per 1,000 live births					
	All ages	Under 28 days				28 days-11 months	All ages	Under 28 days				28 days-11 months
		Total	Under 1 day	1-6 days	7-27 days			Total	Under 1 day	1-6 days	7-27 days	
1981....	211	162	94	52	16	49	22.6	17.5	10.1	5.6	1.7	5.3
1980....	228	168	96	53	19	60	24.6	18.1	10.4	5.7	2.1	6.5
1979....	207	159	103	37	19	48	22.0	16.9	11.0	3.9	2.0	5.1
1978....	242	179	111	53	15	63	25.8	19.1	11.8	5.7	1.6	6.7
1977....	270	203	116	56	31	67	27.3	20.5	11.7	5.7	3.1	6.8
1976....	240	193	116	59	18	47	24.9	20.0	12.0	6.1	1.9	4.9
1975....	279	220	129	65	26	59	28.6	22.6	13.2	6.7	2.7	6.1
1974....	277	216	119	62	35	61	27.6	21.5	11.9	6.2	3.5	6.1
1973....	276	208	122	60	26	68	25.5	19.2	11.3	5.5	2.4	6.3
1972....	323	235	142	67	26	88	27.2	19.8	11.9	5.6	2.2	7.4
1971....	396	294	192	82	20	102	28.5	21.1	13.8	5.9	1.4	7.3
1970....	432	339	215	87	37	93	28.9	22.7	14.4	5.8	2.5	6.2
1969....	428	333	223	76	34	95	29.0	22.6	15.1	5.2	2.3	6.4
1968....	467	353	228	99	26	114	32.0	24.2	15.6	6.8	1.8	7.8
1967....	474	369	256	92	21	105	30.3	23.5	16.3	5.9	1.3	6.7
1966....	578	441	296	113	32	137	35.3	26.9	18.1	6.9	2.0	8.4
1965....	611	441	282	120	39	170	34.7	25.1	16.0	6.8	2.2	9.7
1964....	656	493	311	129	53	163	34.5	25.9	16.4	6.8	2.8	8.6
1963....	653	475	283	156	36	178	32.9	23.9	14.3	7.9	1.8	9.0
1962....	690	516	328	146	42	174	34.6	25.9	16.4	7.3	2.1	8.7
1961....	712	547	360	143	44	165	35.2	27.0	17.8	7.1	2.2	8.1
1960....	708	534	336	160	38	174	35.8	27.0	17.0	8.1	1.9	8.8

Table 22.—INFANT DEATH RATES BY WARD AND AGE:
DISTRICT OF COLUMBIA, 1980 AND 1981

Ward	All ages		Under 28 days		28 days- 11 months	
	1981	1980	1981	1980	1981	1980
Total.....	22.6	24.6	17.5	18.1	5.3	6.5
1.....	24.7	18.6	20.1	14.7	4.6	3.9
2.....	24.1	25.3	15.7	18.4	8.4	6.9
3.....	4.7	12.7	6.3	7.3	—	5.5
4.....	22.3	31.1	18.3	25.2	4.1	5.8
5.....	28.7	24.7	20.6	19.6	8.1	5.1
6.....	22.1	27.5	17.0	20.4	5.1	7.1
7.....	24.4	23.9	20.2	17.7	4.2	6.1
8.....	22.5	27.7	16.6	17.7	5.9	10.0

Table 23.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1981

Cause of Death	Total	Less than One Day	1-6 Days	7-27 Days	28 Days -- 5 months	6-11 months
Total.....	211	94	52	16	37	12
01 Certain Intestinal Infections.....	-	-	-	-	-	-
02 Whooping Cough.....	-	-	-	-	-	-
03 Meningococcal Infection.....	1	-	-	-	1	-
04 Septicemia.....	1	-	-	-	1	-
05 Viral Diseases.....	-	-	-	-	-	-
06 Congenital Syphilis.....	-	-	-	-	-	-
07 Remainder of Infectious and Parasitic Diseases.....	-	-	-	-	-	-
08 Malignant Neoplasms, Including Neoplasm of Lymphatic & Hematopoietic Tissues.....	-	-	-	-	-	-
09 Benign Neoplasms, Carcinoma in Situ, and Neoplasms Nec.....	-	-	-	-	-	-
10 Diseases of Thymus Gland.....	-	-	-	-	-	-
11 Cystic Fibrosis.....	-	-	-	-	-	-
12 Diseases of Blood and Blood-Forming Organs.....	-	-	-	-	-	-
13 Meningitis.....	-	-	-	-	-	-
14 Other Diseases of Nervous System and Sense Organs...	-	-	-	-	-	-
15 Acute Upper Respiratory Infections.....	-	-	-	-	-	-
16 Bronchitis and Bronchiolitis.....	-	-	-	-	-	-
Pneumonia and Influenza.....	2	-	-	-	1	1
17 Pneumonia.....	2	-	-	-	1	1
18 Influenza.....	-	-	-	-	-	-
19 Remainder of Diseases of Respiratory System.....	-	-	-	-	-	-
20 Hernia of Abdominal Cavity & Intestinal Obstruction Without Mention of Hernia.....	-	-	-	-	-	-
21 Gastritis, Duodenitis, & Noninfective Enteritis & Colitis.....	2	-	1	-	1	-
22 Remainder of Diseases of Digestive System.....	-	-	-	-	-	-
Congenital Anomalies.....	29	8	10	4	5	2
23 Anencephalus and Similar Anomalies.....	3	2	-	1	-	-

Table 23.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death		Total	Less than One Day	1-6 Days	7-27 Days	28 Days - 5 months	6-11 months
24	Spina Bifida.....	-	-	-	-	-	-
25	Congenital Hydrocephalus.....	2	1	-	-	-	1
26	Other Congenital Anomalies of Central Nervous System and Eye.....	-	-	-	-	-	-
27	Congenital Anomalies of Heart.....	11	1	6	1	3	-
28	Other Congenital Anomalies of Circulatory System..	3	-	2	1	-	-
29	Congenital Anomalies of Respiratory System.....	3	1	-	-	1	1
30	Congenital Anomalies of Digestive System.....	-	-	-	-	-	-
31	Congenital Anomalies of Genitourinary System.....	1	1	-	-	-	-
32	Congenital Anomalies of Musculoskeletal System....	2	1	1	-	-	-
33	Downs Syndrome.....	-	-	-	-	-	-
34	Other Chromosomal Anomalies.....	2	-	-	1	1	-
35	All Other and Unspecified Congenital Anomalies....	2	1	1	-	-	-
	Certain Conditions Originating in the Perinatal Period.....	140	86	39	12	3	-
36	Newborn Affected by Maternal Conditions Which May be Unrelated to Present Pregnancy.....	2	2	-	-	-	-
37	Newborn Affected by Maternal Complications of Pregnancy.....	5	5	-	-	-	-
38	Newborn Affected by Complications of Placenta, Cord and Membranes.....	4	3	1	-	-	-
39	Newborn Affected by Other Complications of Labor and Delivery.....	-	-	-	-	-	-
40	Slow Fetal Growth and Fetal Malnutrition.....	-	-	-	-	-	-
41	Disorders Relating to Short Gestation and Un- specified Low Birthweight.....	48	32	12	3	1	-
42	Disorders Relating to Long Gestation and High Birthweight.....	-	-	-	-	-	-
43	Birth Trauma.....	1	-	-	1	-	-
	Intrauterine Hypoxia and Birth Asphyxia.....	6	3	3	-	-	-
44	Fetal Distress in Liveborn Infant.....	-	-	-	-	-	-
45	Birth Asphyxia.....	6	3	3	-	-	-
46	Respiratory Distress Syndrome.....	25	12	11	2	-	-
47	Other Respiratory Conditions of Newborn.....	23	18	4	-	1	-

Table 23.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Cause of Death		Total	Less than One Day	1-6 Days	7-27 Days	28 Days - 5 months	6-11 months
48	Infections Specific to the Perinatal Period.....	4	4	-	-	-	-
49	Neonatal Hemorrhage.....	12	1	8	3	-	-
50	Hemolytic Disease of Newborn, Due to Isoimmu., & Other Perinatal Jaundice.....	-	-	-	-	-	-
51	Syndrome of 'Infant of a Diabetic Mother' and Neonatal Diabetes Mellitus.....	-	-	-	-	-	-
52	Hemorrhagic Disease of Newborn.....	-	-	-	-	-	-
53	All Other and Ill-Defined Conditions Originating in the Perinatal Period.....	10	6	-	3	1	-
	Symptoms, Signs and Ill-Defined Conditions.....	23	-	-	-	20	3
54	Sudden Infant Death Syndrome.....	22	-	-	-	19	3
55	Symptoms, Signs, and All Other Ill-Defined Conditions.....	1	-	-	-	1	-
	Accidents and Adverse Effects.....	5	-	-	-	-	5
56	Inhal and Ingest Food or Other OBJ Causing Obstr of Resp Tract or Suffocation.....	1	-	-	-	-	1
57	Accidental Mechanical Suffocation.....	3	-	-	-	-	3
58	Other Accidental Causes and Adverse Effects.....	1	-	-	-	-	1
	Homicide.....	2	-	-	-	2	-
59	Child Battering and Other Maltreatment.....	-	-	-	-	-	-
60	Other Homicide.....	2	-	-	-	2	-
61	All Other Causes.....	6	-	2	-	3	1

Table 24.--THREE YEAR MOVING AVERAGE OF INFANT MORTALITY RATE BY AGE AT DEATH:
DISTRICT OF COLUMBIA, 1961-1963 TO 1979-1981

Years	Rates per 1,000 live births				
	All ages	Less than 1 day	1-6 days	7-27 days	28 days-11 months
1961-1963.....	34.2	16.2	7.4	2.0	8.6
1962-1964.....	34.0	15.7	7.3	2.2	8.8
1963-1965.....	32.5	14.7	6.9	2.2	8.7
1964-1966.....	33.3	15.9	6.5	2.3	8.5
1965-1967.....	31.8	15.9	6.2	1.8	7.9
1966-1968.....	32.6	16.7	6.5	1.7	7.6
1967-1969.....	30.4	15.7	5.9	1.8	7.0
1968-1970.....	29.9	15.0	5.9	2.2	6.8
1969-1971.....	28.8	14.4	5.6	2.1	6.6
1970-1972.....	28.2	13.4	5.8	2.0	7.0
1972-1974.....	26.8	11.7	5.8	2.7	6.6
1973-1975.....	27.2	12.1	6.1	2.8	6.1
1974-1976.....	27.0	12.4	6.3	2.7	5.7
1975-1977.....	26.9	12.3	6.2	2.6	5.9
1976-1978.....	26.0	11.8	5.8	2.2	6.1
1977-1979.....	25.0	11.5	5.1	2.2	6.2
1978-1980.....	24.1	11.1	5.1	1.9	6.1
1979-1981.....	23.1	10.5	5.1	1.9	5.6

Table 25.—LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, INFANT DEATHS, FETAL DEATHS,
TOTAL DEATHS, BY PLACE OF OCCURRENCE AND RESIDENCE: DISTRICT OF COLUMBIA, 1981

Place of occurrence resident status	Live births	Out-of- wedlock births	Infant deaths	Fetal deaths	Total deaths
Total recorded events.....	20,209	7,105	445	232	8,678
District of Columbia residents....	8,802	5,330	206	123	6,234
Maryland residents.....	8,719	1,540	171	86	1,562
Virginia residents.....	2,584	211	53	22	551
Resident of other states.....	100	22	11	—	304
Not stated.....	4	2	4	1	27
Resident events.....	9,332	5,483	211	123	6,846
Occurring in D.C.	8,802	5,330	206	123	6,234
Occurring in other states.....	530	153	5	—	612

Table 26.--RECORDED NUMBER OF LIVE BIRTHS AND DEATHS: NUMBER AND RATES OF INFANT,
NEONATAL AND FETAL DEATHS BY RACE:
DISTRICT OF COLUMBIA, 1975-1981 AND AVERAGES 1940-1979

Race and Year	Live births	Deaths	Number			Rates ^{2/}		
			Infant deaths	Neonatal deaths	Fetal deaths ^{1/}	Infant deaths	Neonatal deaths	Fetal deaths
Total								
1981.....	20,209	8,678	445	343	232	22.0	17.0	11.5
1980.....	20,262	8,815	494	376	239	24.4	18.6	11.8
1979.....	20,157	8,619	434	334	194	21.5	16.6	9.6
1978.....	19,743	8,755	482	374	222	24.4	18.9	11.2
1977.....	20,653	8,987	497	379	271	24.1	18.4	13.1
1976.....	19,916	9,183	480	386	279	24.1	19.4	14.0
1975.....	19,826	9,423	504	409	241	25.4	20.6	12.2
AVERAGE ANNUAL								
1975-1979.....	20,059	8,993	479	376	241	23.9	18.7	12.0
1970-1974.....	23,447	10,121	583	454	325	24.9	19.4	13.9
1965-1969.....	28,461	10,587	754	582	448	26.5	20.4	15.7
1960-1964.....	33,190	10,415	958	727	528	28.9	21.9	15.9
1955-1959.....	33,318	9,760	946	740	531	28.4	22.2	15.9
1950-1954.....	31,135	8,974	785	628	540	25.2	20.2	17.3
1945-1949.....	26,558	8,617	821	632	571	30.9	23.8	21.5
1940-1944.....	20,279	8,922	887	611	534	43.7	30.1	26.3

^{1/} Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

^{2/} Per 1,000 live births.

Table 26.--RECORDED NUMBER OF LIVE BIRTHS AND DEATHS: NUMBER AND RATES OF INFANT,
NEONATAL AND FETAL DEATHS BY RACE:
DISTRICT OF COLUMBIA, 1975-1981 AND AVERAGES 1940-1979-CONTINUED

Race and Year	Live births	Deaths	Number			Rates ^{2/}		
			Infant deaths	Neonatal deaths	Fetal ^{1/} deaths	Infant deaths	Neonatal deaths	Fetal deaths
BLACK								
1981.....	11,907	5,338	275	206	166	23.1	17.3	13.9
1980.....	12,085	5,242	308	236	158	25.5	19.5	13.1
1979.....	12,114	5,069	295	229	139	24.4	18.9	11.5
1978.....	11,512	5,097	321	252	156	27.9	21.9	13.6
1977.....	11,967	5,121	333	255	197	27.8	21.3	16.5
1976.....	11,544	5,167	327	270	201	28.3	23.4	17.4
AVERAGE ANNUAL								
1975-1979.....	11,698	5,124	317	250	174	27.1	21.4	14.9
1970-1974.....	12,957	5,302	361	276	218	27.9	21.3	16.8
1965-1969.....	14,000	5,122	473	357	286	33.8	25.5	20.4
1960-1964.....	14,766	4,484	562	415	307	38.1	28.1	20.8
1955-1959.....	13,329	3,785	520	390	274	39.0	29.3	20.6
1950-1954.....	10,895	3,301	363	301	263	33.3	27.6	24.1
1945-1949.....	7,856	3,070	340	253	265	43.3	32.2	33.7
1940-1944.....	5,488	3,148	408	260	227	74.3	47.4	41.4

^{1/} Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

^{2/} Per 1,000 live births.

Table 26.--RECORDED NUMBER OF LIVE BIRTHS AND DEATHS: NUMBER AND RATES OF INFANT,
NEONATAL AND FETAL DEATHS BY RACE:
DISTRICT OF COLUMBIA, 1975-1981 AND AVERAGES 1940-1979-CONTINUED

Race and Year	Live births	Deaths	Number			Rates ^{2/}		
			Infant deaths	Neonatal deaths	Fetal deaths ^{1/}	Infant deaths	Neonatal deaths	Fetal deaths
WHITE								
1981.....	8,302	3,340	170	137	66	20.5	16.5	7.9
1980.....	8,177	3,573	186	140	81	22.7	17.1	9.9
1979.....	8,043	3,550	139	105	55	17.3	13.1	6.8
1978.....	8,231	3,658	161	122	66	19.6	14.8	8.0
1977	8,686	3,866	164	124	74	18.9	14.3	8.5
1976.....	8,372	4,016	153	116	78	18.3	13.9	9.3
1975.....	8,475	4,257	195	163	62	23.0	19.2	7.3
AVERAGE ANNUAL								
1975-1979.....	8,361	3,869	162	126	67	19.4	15.1	8.0
1970-1974.....	10,490	4,819	222	179	107	21.2	17.1	10.2
1965-1969.....	14,461	5,465	281	225	162	19.4	15.6	11.2
1960-1964.....	18,424	5,931	396	312	221	21.5	16.9	12.0
1955-1959.....	19,989	5,975	426	350	257	21.3	17.5	12.9
1950-1954.....	20,240	5,673	422	327	277	20.8	16.2	13.7
1945-1949.....	18,702	5,547	481	379	306	25.7	20.3	16.4
1940-1944.....	14,791	5,774	479	351	307	32.4	23.7	20.8

^{1/}Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

^{2/}Per 1,000 live births.

Table 27.—RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS;¹ TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT:
DISTRICT OF COLUMBIA, 1981

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature ¹ Births	Deaths	
					All Ages	Under 1 year of Age
Total.....	9,332	5,483	189	1,205	6,846	211
Resident						
Unknown.....	45	31	1	4	19	-
1.....	30	2	-	2	49	-
2.....	19	2	-	-	35	-
3.....	28	-	-	1	42	-
4.....	14	-	-	-	17	-
5.1.....	12	3	-	-	31	-
5.2.....	30	3	-	-	38	-
6.....	29	10	-	2	70	1
7.....	37	1	-	3	97	-
8.....	68	14	-	1	61	-
9.....	60	4	-	3	33	1
10.1.....	57	6	-	5	79	-
10.2.....	9	2	-	1	20	-
11.....	39	1	-	2	51	-
12.....	49	5	-	5	48	1
13.....	59	10	2	3	132	-
14.....	59	6	-	4	75	-
15.....	50	2	-	1	71	-
16.....	33	4	-	-	35	-
17.....	77	36	1	6	56	1
18.1.....	6	1	-	1	2	-
18.2.....	92	43	1	16	70	2
19.....	75	43	2	9	67	-
20.....	92	43	2	9	67	1
21.1.....	96	62	2	15	67	1

Table 27.—RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS;—TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT:
DISTRICT OF COLUMBIA, 1981—CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature ¹ Births	Deaths	
					All Ages	Under 1 year of Age
21.2.....	62	37	—	7	73	—
22.1.....	45	31	—	5	50	1
22.2.....	47	21	—	7	38	—
23.1.....	54	37	2	13	43	3
23.2.....	1	—	—	—	143	1
24.....	69	44	—	5	72	1
25.1.....	38	27	—	3	28	3
25.2.....	62	27	—	8	67	3
26.....	18	3	—	1	28	—
27.1.....	73	31	3	9	31	3
27.2.....	89	39	—	9	41	—
28.....	142	69	5	11	83	2
29.....	72	54	1	16	65	2
30.....	41	25	—	3	40	2
31.....	51	36	2	7	43	1
32.....	87	62	6	15	65	2
33.1.....	47	35	—	5	65	—
33.2.....	59	39	1	7	44	1
34.....	58	42	—	11	64	2
35.....	47	37	—	7	49	4
36.....	90	68	2	13	42	2
37.....	112	67	4	8	88	1
38.....	89	49	2	13	40	5
39.....	86	31	—	5	34	2
40.....	52	14	2	4	46	1
41.....	23	5	—	1	20	—

Table 27.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS;¹/TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature ¹ Births	Deaths	
					All Ages	Under 1 year of Age
42.1.....	41	25	2	5	30	1
42.2.....	30	11	-	2	22	-
43.....	44	27	4	6	35	1
44.....	49	33	4	11	40	1
45.....	35	21	-	2	23	-
46.....	80	51	-	9	63	4
47.....	86	57	2	13	75	1
48.1.....	40	30	-	5	49	-
48.2.....	67	45	3	8	50	2
49.1.....	57	41	1	7	35	-
49.2.....	29	18	-	2	31	-
50.....	79	54	3	16	106	5
51.....	16	10	1	1	21	-
52.1.....	46	14	1	4	42	-
52.2.....	14	3	-	-	3	-
53.1.....	57	17	-	4	25	1
53.2.....	4	1	1	-	10	-
54.1.....	6	2	-	-	10	2
54.2.....	3	1	-	-	2	-
55.....	31	5	-	2	44	-
56.....	17	1	-	1	36	1
57.1.....	8	3	-	-	15	-
57.2.....	-	-	-	-	1	-
58.....	11	2	-	1	32	1
59.....	17	11	3	2	29	1
60.1.....	21	5	-	2	11	-

Table 27.—RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS;^{1/} TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature ^{1/} Births	Deaths	
					All Ages	Under 1 year of Age
60.2.....	19	19	-	6	4	1
61.....	13	2	-	2	7	-
62.....	3	1	-	-	-	-
63.1.....	30	14	-	4	26	-
63.2.....	8	-	-	2	-	-
64.....	73	59	2	10	33	2
65.1.....	14	4	1	4	6	-
65.2.....	6	1	-	-	8	-
66.....	19	5	-	-	12	-
67.....	68	21	3	6	34	-
68.1.....	34	24	1	4	32	-
68.2.....	62	45	-	11	36	1
68.3.....	2	1	-	-	1	-
69.....	39	29	3	7	44	1
70.1.....	-	-	-	-	-	-
70.2.....	43	20	2	9	22	-
71.....	56	45	1	9	41	3
72.....	52	45	3	5	36	2
73.1.....	150	7	-	10	3	1
73.2.....	86	50	-	18	55	4
73.3.....	118	85	1	19	39	2
73.4.....	78	55	3	12	27	-
73.6.....	153	110	3	26	37	-
73.7.....	122	70	2	20	42	5
73.8.....	-	-	-	-	42	-
74.1.....	84	72	2	17	37	5

Table 27.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS,¹/TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature ¹ Births	Deaths	
					All Ages	Under 1 year of Age
74.2.....	266	195	4	46	83	7
74.4.....	118	101	4	14	34	7
74.5.....	169	135	5	25	55	2
75.1.....	137	80	3	21	60	5
75.3.....	64	54	2	7	13	1
75.4.....	7	7	-	-	5	-
75.5.....	35	22	-	9	7	-
76.1.....	93	62	2	17	60	1
76.3.....	53	14	1	6	44	-
76.4.....	73	49	2	14	27	1
76.5.....	77	38	1	11	31	2
77.2.....	52	28	-	6	66	2
77.3.....	143	103	9	23	44	4
77.5.....	265	198	5	44	99	2
77.6.....	84	60	2	13	49	3
77.7.....	62	41	-	14	41	1
77.8.....	77	50	1	10	37	1
77.9.....	15	11	-	3	13	1
78.1.....	153	122	4	22	53	7
78.2.....	56	33	-	6	72	1
78.3.....	95	59	2	7	57	1
78.4.....	82	58	2	10	37	1
78.5.....	125	88	10	21	69	3
78.7.....	40	26	1	5	21	1
78.8.....	127	99	6	17	61	6
79.1.....	79	54	-	13	57	3

Table 27.—RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE,
IMMATURE BIRTHS;¹/TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT:
DISTRICT OF COLUMBIA, 1981-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature ¹ Births	Deaths	
					All Ages	Under 1 year of Age
79.2.....	35	28	-	2	45	1
80.1.....	46	23	1	4	55	1
80.2.....	58	40	1	5	50	3
81.....	40	19	-	-	32	-
82.1.....	5	-	-	1	4	-
82.2.....	13	2	-	1	17	-
83.3.....	1	-	-	-	12	-
83.4.....	36	22	-	5	29	1
83.5.....	6	5	-	2	6	-
83.6.....	19	10	-	2	27	-
84.1.....	6	5	-	-	12	-
84.2.....	78	60	2	11	67	3
85.....	84	64	5	14	70	4
86.1.....	1	1	-	-	1	-
86.2.....	14	11	-	3	7	-
87.....	73	57	1	11	61	1
88.1.....	85	68	3	13	63	3
88.2.....	76	56	-	16	77	2
89.1.....	62	41	1	8	38	3
89.2.....	70	54	3	12	52	5
90.....	28	13	1	3	49	-
91.1.....	45	24	-	3	56	1
91.2.....	85	60	1	9	55	2
92.....	109	75	3	13	102	2
93.....	86	47	1	8	89	2

Table 27.—RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS;^{1/} TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT:
DISTRICT OF COLUMBIA, 1981—CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature ^{1/} Births	Deaths	
					All Ages	Under 1 year of Age
94.....	53	32	—	10	68	2
95.1.....	62	26	2	9	31	3
95.2.....	82	26	—	8	68	1
95.3.....	31	13	—	5	41	2
95.5.....	36	20	—	2	29	2
95.7.....	21	14	—	3	11	—
95.8.....	30	14	—	9	26	1
96.....	7	5	—	—	34	—
97.....	144	100	2	18	30	3
98.....	159	125	3	21	39	2

^{1/} With birth weight of 2,500 grams or less.

Table 28.--RECORDED DEATHS FROM ACCIDENTAL CAUSES BY AGE AND TYPE OF ACCIDENT:
DISTRICT OF COLUMBIA, 1981

Type of Accident	Total	Under	5-14	15-24	25-44	45-64	65 and over
Total ¹	294	17	11	40	101	52	73
Work.....	5	-	-	1	3	-	1
Construction.....	2	-	-	-	1	-	1
Trade.....	1	-	-	-	1	-	-
Service.....	2	-	-	1	1	-	-
Home.....	161	12	5	6	53	37	48
Poisonings (gas excepted).....	33	-	-	3	29	1	-
Falls.....	56	2	-	1	5	24	24
Fires.....	32	3	2	1	7	6	13
Drowning.....	3	1	-	1	-	-	1
Suffocation, Ingested Food or Object.....	10	1	1	-	1	2	5
Suffocation, Mechanical.....	7	4	-	-	2	-	1
Firearms.....	1	-	1	-	-	-	-
Other and Unspecified Home Accidents.....	19	1	1	-	9	4	4
Motor Vehicle.....	83	4	4	30	26	11	8
Injury to Pedestrian.....	20	2	2	5	6	2	3
Injury to Pedal Cyclist.....	2	-	-	-	1	1	-
Collision with Other Motor Vehicle.....	16	-	1	5	6	4	-
Non-collision.....	38	2	1	15	12	3	5
Other and Unspecified Accidents.....	7	-	-	5	1	1	-
Public Non-Motor Vehicle.....	26	1	2	2	14	1	6
Air Transport.....	2	-	-	-	1	-	1
Fires.....	1	-	-	-	-	1	-
Drowning.....	6	-	1	2	3	-	-
Other and Unspecified Public Accidents.....	17	1	1	-	10	-	5
Type of Accident Unknown.....	19	-	-	1	5	3	10

¹ Includes deaths occurring within the District of Columbia of residents and non-residents.